


Traffic Control Construction Work Zone Architectural Signage OSHA & Hazard Signs Natural Gas Field Safety Utility and Telephone Incident Management School Zone Safety Fast Shipping Outstanding Customer Service Full Turn-key Work Zones Knowledgable Staff Locations Througout The USA Rugged Construction Exacting Standards Sign Stands Rigid & Roll Up Signs LED Stop Slow Paddles Traffic Control Supplies Reflective Materials Barricades, Cones, Delinators, Channelizers Drums



APEX SERIES SIGN STANDS



customerservice@usa-sign.com 800-872-SIGN (7446) www.easternmetalsignsandsafety.com

RING TOP CHANNELIZER 7100 SERIES CHANNELIZERS.

Eastern Metal Stackable Ring Top Channelizer: a versatile and robust traffic control solution engineered for diverse settings. Constructed from premium materials, this innovation features Hi-Intensity reflective bands, guaranteeing exceptional visibility. Additionally, this channelizer showcases adaptability, enabling effortless stacking for streamlined storage and transportation.

Features:

- High-quality
- Stackable
- Easy Storage
- Transports Easily

Applications:

- Traffic control
- Crowd control
- Construction zones
- Emergency situations





VEHICLE HITCH-MOUNT SIGN HOLDER



Transform any standard 2" square vehicle hitch receiver into a roll-up sign holder. Includes an aluminum mast with a roll-up bracket and jaw-

clamp for quick attachment.

- Dimensions: 38.25\"h X12\"d X 2\"w
- Weight: 8 Lbs
- Transform Any Standard Vehicle Hitch Into A Roll-up Sign
- Sign Holder Fits Into A 2" Square Hitch Receiver.
- This System Is Ideal For Incident Management,
- Fixture Type: Mounting Bracket

RIGID SIGNS

We utilize the latest multi-color digital printers, producing what you need quickly and efficiently. We print directly onto all types of substrates and sheeting to offer you endless possibilities.



Custom legends available, please call for pricing and availability.



GUIDE & PARKING • REGULATORY • SCHOOL ZONE SAFETY • TEMPORARY TRAFFIC CONTROL • WARNING