

# TRAFFIC & SAFETY CATALOG



CORPORATE OFFICE  
1430 SULLIVAN  
STREET ELMIRA, NY  
14901



**SIGNS<sup>AND</sup>  
SAFETY**  
EQUIPMENT, INC.  
607-562-8463



MAIN OFFICE- CUSTOMER SERVICE  
607-562-8463



INQUIRIES  
SIGNSAFE@SIGNSAFETY.COM



[WWW.SIGNSSAFETY.COM](http://WWW.SIGNSSAFETY.COM)

# PORTABLE COMPACT SIGN STANDS



## **APEX**

MASH TESTED WZ-435A

NON-WIND DEFLECTABLE APEX STANDS ARE ECONOMICAL AND FULFILL THE MOST BASIC COMPACT STAND NEEDS.

- Rugged and reliable deploys quickly, folds small and is economical.
- Telescoping legs adjust for maximum stability on uneven terrain and road shoulders.
- Mechanical pin leg release.
- Roll-Up signs attach to the APEX sign stand with a universal spin-handle.

MODEL	MATERIAL	WT.	OPEN SIZE	STORAGE SIZE	COMPARE
APEX	GALV STEEL	20 LBS.	41 X 68 X 79	9 X 9 X 24	C-101



## **APEX FLEX**

MASH TESTED

WIND DEFLECTABLE APEX FLEX WITH ADJUSTABLE FIBERGLASS LEAF-SPRING IS STABLE IN HIGH WIND GUST

- Fiberglass leaf-spring provides optimal wind-deflection and lateral stability in high wind gust.
- Telescoping legs adjust for maximum stability on uneven terrain and road shoulders.
- Mechanical pin leg release.
- Roll-Up signs attach to the APEX FLEX sign stand with a universal spin-handle.

MODEL	MATERIAL	WT.	OPEN SIZE	STORAGE SIZE	COMPARE
APEX-FLEX	GALV STEEL	20 LBS.	41 X 68 X 89	9 X 9 X 24	C-202



## **APEX RECOIL**

MASH TESTED WZ-436A

WIND DEFLECTABLE APEX RECOIL WITH SINGLE COIL-FLEX SPRING, IS RUGGED, RELIABLE AND DEPLOYS QUICKLY.

- The coil-flex single spring provides wind-deflection and stability in all conditions including high wind gusts.
- Telescoping legs adjust for maximum stability on uneven terrain and road shoulders.
- Mechanical pin leg release.
- Roll-Up signs attach to the APEX RECOIL sign stand with a universal spin-handle.

MODEL	MATERIAL	WT.	OPEN SIZE	STORAGE SIZE	COMPARE
APEX-RECOIL	ALUMINUM	22 LBS.	53 X 89 X 80	8 X 9 X 24	C-801



## **APEX TRI-POD**

MASH TESTED

NON-WIND DEFLECTABLE APEX TRI-POD STANDS ARE ECONOMICAL AND FULFILL THE MOST BASIC SIGN STAND NEEDS AND DISPLAY A VARIETY OF SIGN SUBSTRATES

- The Apex Tri-Pod stand is a simple durable design, economically priced providing outstanding value.
- The Apex Tri-Pod is constructed of heavy duty steel.
- Adjustable mast can display both rigid and roll-up signs a minimum of 14" above grade.

MODEL	MATERIAL	LEGS	HEIGHT ABOVE ROAD W/48" SIGN	SIGN HOLDERS	WEIGHT	OPEN SIZE W x L x H	STORAGE SIZE W x L x H	COMPARE TO
APEX-TRI-POD	GALV. STEEL	FIXED	14"	RIGID HOLDERS	17.8 LBS.	49 x 30 x 76	4 x 5 x 55.5	E-352
APEX-TRI-POD-RG/RU				ROLL-UP & RIGID	18 LBS.			E-353

## TRIPOD ECONOMY STAND E-55

- The E-55 tripod is made of tubular steel, has a simple, durable design, is very economical and holds both rigid and roll-up signs.

MODEL NO.

**E-55**





# STANDARD ROLL-UP SIGN LEGENDS

COMMONLY REQUESTED STANDARD LEGENDS LISTED

MANY OTHER LEGENDS AVAILABLE | CUSTOM LEGENDS ALSO AVAILABLE

## 48"

Accident Ahead  
Be Prepared To Stop  
Blasting Turn Off 2-way Radio  
Blasting Zone Ahead  
Bridge Work Ahead  
Construction Ahead  
Detour Ahead  
Dual Lane Transition (symbol)  
End Construction  
End Mowing  
End Road Work  
End Survey Work  
End Utility Work  
Flagger Ahead  
Flagger (symbol)  
Flagman Ahead  
Keep Right  
Lane Closed  
Lane Closed Ahead  
Lane Ends Merge Left  
Left Lane Closed  
Left Lane Closed Ahead  
Left Lane Reduction (symbol)  
Men Working  
Men Working (symbol)  
Mowing Ahead  
Mowing Next 5 Miles  
No Shoulder  
One Lane Closed  
One Lane Closed Ahead  
One Lane Road Ahead  
Prepare To Stop  
Reduce Speed  
Right Lane Closed  
Right Lane Closed Ahead  
Right Lane Reduction (symbol)  
Road Closed  
Road Construction Ahead  
Road Work 1/2 Mile  
Road Work Ahead  
Shoulder Work  
Shoulder Work Ahead  
Signal Work Ahead  
Single Lane Ahead  
Slow

Survey Crew  
Survey Crew Ahead  
Utility Construction  
Utility Construction Ahead  
Utility Work Ahead  
Work Area Ahead  
Worker (symbol)  
Workers Ahead

## 36"

Be Prepared To Stop  
Blasting Turn Off 2-way Radio  
Blasting Zone Ahead  
Construction Zone Ahead  
Detour  
Detour Ahead  
Electric Utility Workers Ahead  
End Blasting Zone  
End Utility Work  
Flagger Ahead  
Flagger (symbol)  
Flagmen Ahead  
Fresh Oil  
Left Lane Closed  
Left Lane Closed Ahead  
Litter Crew Ahead  
Men Working  
Men Working (symbol)  
Men Working Ahead  
Mowing Ahead  
Mowing Next 5 Miles  
One Lane Closed Ahead  
One Lane Road Ahead  
Reduce Speed  
Right Lane Closed  
Right Lane Closed Ahead  
Road Closed  
Road Closed Ahead  
Road Construction Ahead  
Road Work Ahead  
Single Lane Ahead  
Sobriety Checkpoint Ahead  
Survey Crew  
Survey Crew Ahead  
Surveyors On Pavement

Telephone Workers Ahead  
Trucks Entering Highway  
Utility Construction Ahead  
Utility Work 2000 Ft  
Utility Work 500 Ft  
Utility Work Ahead  
Work Area Ahead  
Worker (symbol)  
Workers Ahead

## 48" X 24"

End Construction  
End Road Work  
End Survey Work  
End Utility Work  
Single Arrow (symbol)

## Overlay

(for 48" And 36")

1 Mile  
1/2 Mile  
1000 Ft  
1500 Ft  
250 Ft  
500 Ft  
Arrow (symbol)  
Center  
Dual Lane Transition (symbol)  
Left  
Right  
Road  
Shoulder

ADD TO ROLL-UP SIGN PART #  
OL1 FOR 1 OVERLAY PROVISION  
OL2 FOR 2 OVERLAY PROVISIONS



# ROLL-UP MATERIALS



## DIAMOND GRADE ROLL-UP SIGNS

36" SIGN ONLY  
36" SIGN WITH 1 OVERLAY  
36" SIGN WITH 2 OVERLAYS  
48" SIGN ONLY  
48" SIGN WITH 1 OVERLAY  
48" SIGN WITH 2 OVERLAYS

## BASIC PART #

C-36-DGO- (ADD: LEGEND CODE I.E. RCA FOR ROAD CLOSED AHEAD)  
C-36-DGO-10L (ADD: LEGEND CODE, 1 OVERLAY)  
C-36-DGO-20L (ADD: LEGEND CODE, 2 OVERLAYS)  
C-48-DGO- (ADD: LEGEND CODE)  
C-48-DGO-10L- (ADD: LEGEND CODE, 1 OVERLAY)  
C-48-DGO-20L (ADD: LEGEND CODE, 2 OVERLAYS)

- Diamond Grade optics provide superior brightness and angularity.
- Highly reflective, wide-angle, prismatic material.
- Higher nighttime sign brightness than sheeting that uses glass bead lenses.
- Support smooth traffic response with 24-hour conspicuity and early driver recognition.



## MARATHON GRADE ROLL-UP SIGNS

36" SIGN ONLY  
36" SIGN WITH 1 OVERLAY  
36" SIGN WITH 2 OVERLAYS  
48" SIGN ONLY  
48" SIGN WITH 1 OVERLAY  
48" SIGN WITH 2 OVERLAYS

## BASIC PART

C-36-MARO- (ADD: LEGEND  
C-36-MARO-10L (ADD: LEGEND CODE, 1 OVERLAY)  
C-36-MARO-20L (ADD: LEGEND CODE, 2 OVERLAYS)  
C-48-MARO- (ADD: LEGEND CODE)  
C-48-MARO-10L- (ADD: LEGEND CODE, 1 OVERLAY)  
C-48-MARO-20L- (ADD: LEGEND CODE, 2 OVERLAYS)

- Marathon fluorescence roll-ups take performance to a higher level.
- Longer lasting fluorescent color.
- Outstanding visibility, both day and night.
- Higher levels of photometric performance ensure superior reflectivity at night and in low light conditions.



## SUPER BRIGHT ROLL-UP SIGNS

36" SIGN ONLY  
36" SIGN WITH 1 OVERLAY  
36" SIGN WITH 2 OVERLAYS  
48" SIGN ONLY  
48" SIGN WITH 1 OVERLAY  
48" SIGN WITH 2 OVERLAYS

## BASIC PART #

C-36-SBO- (ADD: LEGEND CODE)  
C-36-SBO-10L (ADD: LEGEND CODE, 1 OVERLAY)  
C-36-SBO-20L (ADD: LEGEND CODE, 2 OVERLAYS)  
C-48-SBO- (ADD: LEGEND CODE)  
C-48-SBO-10L- (ADD: LEGEND CODE, 1 OVERLAY)  
C-48-SBO-20L- (ADD: LEGEND CODE, 2 OVERLAYS)

- Maximum visibility at long distances.
- Super Bright comes in multiple colors.
- Super Bright fluorescent pink color is recommended for Incident Management applications.



## NON-REFLECTIVE VINYL ROLL-UP SIGNS

36" SIGN ONLY  
36" SIGN WITH 1 OVERLAY  
36" SIGN WITH 2 OVERLAYS  
48" SIGN ONLY  
48" SIGN WITH 1 OVERLAY  
48" SIGN WITH 2 OVERLAYS

## BASIC PART #

C-36-NRFVO- (ADD: LEGEND CODE)  
C-36-NRFVO-10L (ADD: LEGEND CODE, 1 OVERLAY)  
C-36-NRFVO-20L (ADD: LEGEND CODE, 2 OVERLAYS)  
C-48-NRFVO- (ADD: LEGEND CODE)  
C-48-NRFVO-10L- (ADD: LEGEND CODE, 1 OVERLAY)  
C-48-NRFVO-20L- (ADD: LEGEND CODE, 2 OVERLAYS)

- Signs are constructed of UV stable vinyl.
- Non-reflective vinyl roll-ups are for daytime use only, they are not intended for use during night operations or low light conditions.
- Because non-reflective vinyl roll-up are for daytime use only, they are not intended for long-term work zone applications.



## NON-REFLECTIVE MESH ROLL-UP SIGNS

36" SIGN ONLY  
36" SIGN WITH 1 OVERLAY  
36" SIGN WITH 2 OVERLAYS  
48" SIGN ONLY  
48" SIGN WITH 1 OVERLAY  
48" SIGN WITH 2 OVERLAYS

## BASIC PART #

C-36-MO- (ADD: LEGEND CODE)  
C-36-MO-10L (ADD: LEGEND CODE, 1 OVERLAY)  
C-36-MO-20L (ADD: LEGEND CODE, 2 OVERLAY)  
C-48-MO- (ADD: LEGEND CODE)  
C-48-MO-10L- (ADD: LEGEND CODE, 1 OVERLAY)  
C-48-MO-20L- (ADD: LEGEND CODE, 2 OVERLAY)

- Non-reflective mesh roll-ups are for daytime use only, they are not intended for use during night operations or low light conditions.
- Because Non-reflective mesh roll-ups are for daytime use only, they are not intended for long-term work zone applications.

## OVERLAY PROVISIONS

- Available in all roll-up sign materials.
- Sewn hook and loop material allow a change to the legend on the sign face.
- Overlays help reduce full-size sign inventory and give your roll-ups signs more versatility in temporary work zones.



# TRAFFIC CONES & CONE BARS

## TC1 SERIES: SOLID FLUORESCENT ORANGE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC1-28PSL64	28"	SLIM-LINE / WITH COLLARS	7 LBS.
TC1-28P064	28"	WIDE-BODY / WITH COLLARS	7 LBS.
TC1-28POH64	28"	WIDE-BODY / WITH COLLARS	10 LBS.
TC1-36P064	36"	WIDE-BODY / WITH COLLARS	10 LBS.
TC1-36POH64	26"	WIDE-BODY / WITH COLLARS	12 LBS.

## TC2 SERIES: ORANGE WITH BLACK BASE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC2-28P064	28"	WIDE-BODY / WITH COLLARS	7 lbs.
TC2-28POH64	28"	WIDE-BODY / WITH COLLARS	10 lbs.
TC2-36P064	36"	WIDE-BODY / WITH COLLARS	10 lbs.
TC2-36POH64	36"	WIDE-BODY / WITH COLLARS	12 lbs.


WHEN ORDERING CONES WITHOUT REFLECTIVE COLLARS REMOVE "64" FROM MODEL NUMBER FOR NO COLLARS.



## TCB SERIES CONE BARS

Field adjustable cone bars are durable, reusable, easy to use and fit over traffic cones using built-in plastic ring.

MODEL NO.	LENGTH	WEIGHT	CONSTRUCTION
TCB-6-YB	46"-80"	1 LB	8" ENGINEER GRADE YELLOW STRIPE ON BLACK PVC
TCB-10-YB	65"-120"	1.4 LB	8" ENGINEER GRADE YELLOW STRIPE ON BLACK PVC
TCB-6-OW	46"-80"	1 LB	8" ENGINEER GRADE WHITE & ORANGE STRIPES ON WHITE PVC
TCB-10-OW	65"-120"	1.4 LB	8" ENGINEER GRADE WHITE & ORANGE STRIPES ON WHITE PVC



## CONE SIGNS

Add a sign easily to any cone for quick instructions for vehicle or foot traffic.

MODEL NO.	DESCRIPTION
TC-SIGN-LV-R	REFLECTIVE, SINGLE NOTCH
TC-SIGN-LV-NR	NON-REFLECTIVE, SINGLE NOTCH
TC-SIGN-NR-A100	NON-REFLECTIVE, DOUBLE NOTCH
TC-SIGN-EG-A100	REFLECTIVE, DOUBLE NOTCH



**FULL PALLETS  
AVAILABLE**

**CONTACT CUSTOMER  
SERVICE FOR A QUOTE**

# FLAGGER HELPER STOP/SLOW PADDLES



## FLAGGER-HELPER™ STOP/SLOW PADDLES



DETACHES WITH A  
SIMPLE BUTTON PRESS

STOP / SLOW faces are available in many reflective combinations. ABS and PVC Staffs are lightweight and come in different lengths to help minimize operator fatigue and increase visibility for operator safety.

**The Support-Staff minimizes operator fatigue and increases visibility, improving operator safety.**



ONE SIGN  
WITH 2 SIDES

## FLAGGER HELPER WORK ZONE PADDLES

### WORK ZONE 18" FLAGGER-HELPER

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-1812	12"	NO STAFF
FLH-1872	12"	72" STAFF
FLH-1884	12"	84" STAFF

### WORK ZONE 24" FLAGGER-HELPER

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-2412	12"	NO STAFF
FLH-2472	12"	72" STAFF
FLH-2484	12"	84" STAFF

**Add sheeting codes below when ordering.**

-HI (High Intensity Stop/Slow)

-HI/DGF (High Intensity Stop / Diamond Grade Fluorescent Slow)

-DG/DGF (Diamond Grade Stop / Diamond Grade Fluorescent Slow)



ONE SIGN  
WITH 2 SIDES

## FLAGGER HELPER SCHOOL ZONE PADDLES

### SCHOOL ZONE 18" FLAGGER-HELPER

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
CG-1812	12"	NO STAFF
CG-1872	12"	72" STAFF
CG-1884	12"	84" STAFF

### SCHOOL ZONE 24" FLAGGER-HELPER

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
CG-2412	12"	NO STAFF
CG-2472	12"	72" STAFF
CG-2484	12"	84" STAFF

-HI (High Intensity) -DG (Diamond Grade)

**Add sheeting codes below when ordering.**



# METAL SIGNS WARNING-REGULATORY



## GUIDE & PARKING – REGULATORY – SCHOOL ZONE SAFETY – TRAFFIC CONTROL – ROUTE MARKING



Experienced sign manufacturers for over 75 years.  
Send your sign requirements to customer service for a quote.



## OSHA, HAZARD AND SAFETY SIGNS

Available in a variety of standard sizes and colors. Add a standard or custom legend.



## OVERSIZE LOAD SIGNS

MODEL NO.	DESCRIPTION
OSL-6012-EG/AL	60" X 12" YELLOW EG
OSL-7212-EG/AL	72" X 12" YELLOW EG
OSL-8418-EG/AL	84" X 18" YELLOW EG
OSL-6012-HI/AL	60" X 12" YELLOW HI
OSL-7212-HI/AL	72" X 12" YELLOW HI
OSL-8418-HI/AL	84" X 18" YELLOW HI

\*FOR CENTER HINGE ADD (CH) TO THE PART # ABOVE.

Aluminum signs with yellow Engineer Grade or High-Intensity reflective sheeting and oversize black letters. Available in many sizes, rigid or center-hinged.





## MUNICIPAL & RESIDENTIAL

### CROSS CONNECTORS



SNH-SEP-990F  
SNH-SEP-990X  
5-1/2"; 90°



SNH-BRKT-12-90F  
SNH-BRKT-12-90X  
12" 90° CROSS BRACKET



SNH-BRKT-457F  
SNH-BRKT-457X  
3-3/4" MULTI ANGLE  
45°, 135°, 180°  
CAN NOT BE SET AT 90°

### ROUND POST HARDWARE



SNH-CAP-12-38F  
SNH-CAP-12-38X  
12" FITS 2-3/8" O.D.



SNH-CAP-922-RF  
SNH-CAP-922-RX  
5-1/2" FITS 2-3/8" O.D.

### U-POST HARDWARE



SNH-BRKT-12U-90F  
SNH-BRKT-12U-90X  
12" 90° FITS ALL U-POST  
180° OPTIONS ALSO AVAILABLE



SNH-BRKT-91UF-0L90  
SNH-BRKT-91UX-0L90  
5-1/2"; 90° FITS ALL U-POST  
180° OPTIONS ALSO AVAILABLE

### UCHANNEL POST

MODEL NO.	DESC.
UCP-62-BE	6' BAKED ENAMEL 2#/FT
UCP-62-GALV	6' GALVANIZED 2#/FT
UCP-82-BE	8' BAKED ENAMEL 2#/FT
UCP-82-GALV	8' GALVANIZED 2#/FT
UCP-102-BE	10' BAKED ENAMEL 2#/FT
UCP-102-GALV	10' GALVANIZED 2#/FT

### BASE POST

MODEL NO.	DESC.
UBP-3525-GALV	3'6" GALVANIZED 2.5#/FT
UBP-3525-BE	3'6" BAKED ENAMEL 2.5#/FT



U-Channel posts are a simple and durable post for mounting signs. Baked Enamel (Green) and Galvanized options are available. Break-Away kits with base post, Lap-Splice and uprights also available.



# FLAGS & MARKERS

**SIGNS AND  
SAFETY**  
EQUIPMENT, INC.  
607-562-8463

## RETAIL SAFETY PRODUCTS

**SHELF READY SAFETY  
ITEMS CONSUMER AND  
INDUSTRIAL USES.**



### 18" WARNING FLAGS

	VINYL	DESCRIPTION
TYPE 1	FROV-118/24	18" FLAG WITH WOODEN 24" STAFF
TYPE 1	FROV-118/30	18" FLAG WITH WOODEN 30" STAFF
TYPE 1	FROV-118/36	18" FLAG WITH WOODEN 36" STAFF

### 24" WARNING FLAGS

	VINYL	DESCRIPTION
TYPE 1	FROV-124/30	24" FLAG WITH WOODEN 30" STAFF
TYPE 1	FROV-124/36	24" FLAG WITH WOODEN 36" STAFF



### HIGHLY VISIBLE SNOW PLOW MARKERS.



MODEL NO.	DESCRIPTION
SPT-28(2)	28" MARKERS (SET OF 2)
SPT-36(2)	36" MARKERS (SET OF 2)



### SLOW MOVING VEHICLE EMBLEM

Slow Moving Vehicle Symbols provide 1/4-mile visibility day or night. Fluorescent Orange Center with a Reflective Red (EG) Border.

MODEL NO.	DESCRIPTION	
SMV-02-EG/AL	Aluminum sign with holes for mounting	12 oz.
SMV-24-PS/EG	Pressure Sensitive Decal For Direct	2 oz.

# PEDESTRIAN CROSSING



## PEDESTRIAN SIGNS BASE AND SIGN

Ideal for protecting pedestrians and school children in crosswalks. Frame and base separate upon impact minimizing damage to sign face and base. Standard and custom legends available

### VERTICAL PANEL (VP)-PEDESTRIAN SIGNS

MODEL NO.	DESC.
VP-6536-YIELD	(2) 12"X36" YIELD Panel, 1 frame and base
VP-6536-STOP-FB	(2) 12"X36" STOP Panel, 1 frame and base
VP-6536-FRAME	(1) 48" Frame only (replacement frame)



### VP-PEDESTRIAN SIGN BASE

MODEL NO.	DESC.
VP-6536-BASE	32 lbs Composite Molded Rubber Base



### SANDWICH BOARDS

Versatile A-Frame sign can display any custom message or advertising.

- Light Weight
- Easy to Setup
- Quickly Change Graphics
- Waterproof

MODEL NO.	DIMENSIONS	WEIGHT
Sign-A-Cade 36	25"wx36"hx3"d	17 lbs.
Mini-Cade	13"wx36"hx3"d	10 lbs.



# HI-VIS WORK WEAR

**SIGNS AND  
SAFETY**  
EQUIPMENT, INC.  
607-562-8463

## HI-VIS CONTRAST TAPE BOMBER

### MODEL US368

- 2" silver reflective tape with high visibility orange contrast trim
- Pack-away adjustable hood
- Elastic waistband and adjustable cuffs
- Quilted lining
- Two mic tabs
- Contrast panel for protection against dirt
- Waterproof with sealed seams
- Pockets: 1 left chest radio, 2 lower front, 1 inner tablet



## HI-VIS TWO-TONE SOFTSHELL JACKET

### MODEL US429

- Center front zipper with storm flap to protect against the elements
- 2" silver reflective tape
- High performing breathable, wind and water resistant fabric
- Pockets: 1 chest, 2 side, 1 cell phone
- Contrast panels for protection against dirt
- Hook and loop adjustable cuffs



## HI-VIS CLASSIC CONTRAST RAIN

### MODEL UH443

- 2" silver reflective tape pack-away adjustable hood
- Elastic storm cuff
- Contrast panel for protection against dirt
- Pockets: 2 large front
- Zipper closure with inner stormflap
- Vented back yoke and eyelets
- Lightweight, waterproof fabric with sealed seams



## NON ANSI POCKET SHORT SLEEVE T-SHIRT

### MODEL S578

- Complete day visibility
- 100% polyester moisture wicking fabric
- Pocket: 1 left chest
- 50+ upf rated fabric to block 98% of UV rays
- Taped neck seam for extra comfort
- Crew neck
- Generous fit
- Waterproof with sealed seams



## HI-VIS CLASSIC CONTRAST RAIN PANTS

### MODEL H444

- 2" silver reflective tape
- Elastic waist
- Twin stitched seams
- Adjustable snap hems for a secure fit
- Contrast panel for protection against dirt
- Lightweight, waterproof fabric with sealed seams

The H-444 Are Ansi Class E Classic Rain Pants. These Pvc Coated Pants Are Made With 100% Polyester 190t Plain Weave Fabric And Feature Sealed Seams. This Hi-vis Work Wear Meets Ansi Class E Standards With 2" Silver Reflective Tape That Aligns The Pants.



## HI-VIS CONTRAST TWO-TONE T-SHIRT

### MODEL S378

- 2" silver reflective tape
- 100% polyester moisture wicking fabric
- 50+ upf rated fabric to block 98% of uv rays
- Taped neck seam for extra comfort
- Crew neck
- Generous fit







# **SIGNS<sup>AND</sup> SAFETY**

**EQUIPMENT, INC.**  
**607-562-8463**

## **MULTIPLE MANUFACTURING LOCATIONS**



**SIGNS & SAFETY  
NORTH** | 1430 SULLIVAN ST  
ELMIRA, NY 14901



**SIGNS & SAFETY  
SOUTH** | 19 INDUSTRIAL PARK DR  
YOUNG HARRIS, GA  
30582

**MANUFACTURING - INNOVATION - DISTRIBUTION**



**SIGNS<sup>AND</sup>  
SAFETY**  
EQUIPMENT, INC.  
**607-562-8463**



**MAIN OFFICE- CUSTOMER SERVICE**  
**607-562-8463**



**INQUIRIES**  
[SIGNSAFE@SIGNSAFETY.COM](mailto:SIGNSAFE@SIGNSAFETY.COM)



**HOURS 8AM-4:30PM -**  
**MONDAY-FRIDAY EST.**



**FAX**  
**607-734-8183**



**CORPORATE OFFICE**  
**1400 SULLIVAN STREET ELMIRA, NY 14901**



**[WWW.SIGNSSAFETY.COM](http://WWW.SIGNSSAFETY.COM)**