



PRODUCT CATALOG

Manufactured in the USA since 1947



Eastern Metal
SIGNS & SAFETY



TABLE OF CONTENTS

03	INTRODUCTION	20	CONES TC1 Series Cones TC2 Series Cones TC3 Series Cones Cone Bars Cone Top Signs
05	SIGN STANDS XFactor Compact <ul style="list-style-type: none">• C-100/600 Series• C-200/900 Series• C-300/800 Series XFactor Mid-Size <ul style="list-style-type: none">• X-550 Series• X-500 Series XFactor Full-Size <ul style="list-style-type: none">• X-600 Series• X-840 Series	21	DRUMS 9100 Series Drums Ring Top Delineators Vertical Panels
10	XFactor Tri-Factor <ul style="list-style-type: none">• E-350 Series• E-55 XFactor Econo <ul style="list-style-type: none">• PGS UB-8400 Rubber Base 072-Quick Base Truck Mount Storage Bracket	22	BARRICADES BG-2200 Series BP-2100 Series BR-3000 Series BC-3000 Series Striping Image
11	Guard Rail Clamp TBB-01 Vehicle Hitch Mount Median Barrier Clamp Flag Tree Stand	23	BARRICADE LIGHTS 300 Series 400 Series 800 Series 900 Series
12	ROLL-UP SIGNS Incident Management Roll-Up Signs Mesh Non-reflective Reflective 36" and 48" Incident Management EZ Set System	24	MISCELLANEOUS ITEMS Warning Flags Transporter Kits Fire Hydrant Marker Commercial Vehicle Guides Slow Moving Vehicle Emblem Emergency Triangle Oversize Load Signs E-Flares Message Boards VP Pedestrian Units Marker Flags Line Markers Bullet Markers Bollard Covers Delineators Barricade Tapes Manhole Guard Stencils
15	RIGID SIGNS Information and OSHA/Hazard/Safety Reflective Sheeting <ul style="list-style-type: none">• Guide & Parking• Regulatory• School Zone Safety• Temporary Traffic Control• Warning	30	STREET NAME HARDWARE & POSTS
17	STOP/SLOW PADDLES Visual Alert LED Visual Alert Accessories Flagger Helper Paddles ABS Paddles Aluminum Paddles Wooden Handle Stop/Slow Stop/Slow Scroll Accessories	32	CLOTHING
		34	XPRESS PROGRAM



We put work zone safety in the work zone. We manufacture our Sign Stands, Rigid & Roll-Up Signs, and Stop/Slow paddles right here in the US, and have been since 1947.

Our first temporary sign stand was invented and produced in the 1950s. We continually improve and perfect the designs to meet today's needs. Machined from high-grade aluminum or steel and assembled by hand, there is no question that these stands support our core value of safety built into every unit we produce. Look for our signature **orange springs** on sign stands wherever you see road construction or utility work zones. They signify top-quality products that have been Made in the USA for over 70 years. If you don't see them, ask for them.

We also provide cones, drums, barricades, safety apparel, and much more to complete all of your safety equipment needs.

X Press Program

With our XPress Program, products can ship in 72 hours or less.

Here are some key features:

- Items will ship within 72 business hours after order is placed.
- Specific products and quantities apply.
- An XPress Charge will be added on to original product pricing.
- Each item has a maximum quantity you can order.
- Tax and freight is additional.

**SEE PAGE 34
FOR MORE DETAILS!**

CONTACT US TODAY!

customerservice@usa-sign.com

800-872-SIGN (7446)

www.easternmetalsignsandsafety.com





SIGN STANDS



Our XFactor™ line of Sign Stands are the perfect solution for your temporary Roll-Up and Rigid signage. From Compact to Full-Size units, we outperform and outlast the competition while also being NCHRP-350 accepted and meeting MUTCD standards. Outfitted with various wind-deflectable options (Dual Coil Spring and Leaf Spring to name a few) and sign-attachment systems (Latch-Style, Spin-Handle), we have an option to fit every job. Just look for the **orange springs** to know you're getting a high-quality product that's Made in America.



These stands deploy quickly and easily. Our multi-position leg system allows for flexibility even on the most uneven terrain. With additional attention to detail, all of our XFactor stands feature anti-skid foot pads giving you that extra peace of mind on-site. The XFactor Stands have several leg-release systems to best fit your team's needs (Kick-Lever, Direct-Drive, T-Pin). All of these are intuitive and easy-to-use.

Not only have we designed these stands for safety, but also considered you when the job is finished. They fold into an ergonomic, space-saving size for ease of transport because we understand that you take these into the field.

We proudly make all of our sign stands in Elmira, New York where they have been produced for over 70 years. EMSS's sign stands are compatible with our Roll-Ups and Rigid Signs, as well as most other sign substrates.

In short, our stands:

- Meet MUTCD specifications
- Are NCHRP-350 approved
- Are made of high-grade aluminum or steel
- Have anti-skid foot pads
- Come with a wide variety of leg systems
- Have 2 or 3-piece, telescoping leg system
- Are American Made

DID YOU KNOW?

Eastern Metal Signs & Safety are an industry leader in supplying MUTCD approved work zoned devices. To meet your needs, we will continue to offer NCHRP-350 and MASH 2016 compliant devices. Contact our Customer Service representatives with any questions on the requirements in your state.

X Factor Program



BASES

- Standard base
- Heavy duty, larger base
- Short and extended leg lengths

LEG AND HALF-MAST MATERIALS

- Galvanized steel
- Aluminum
- Short and extended leg lengths


WIND-DEFLECTION SYSTEMS

- Leaf-Spring
- Coil-Spring

3-FLAG HOLDER INCLUDED

All stands are NCHRP-350 accepted.

LEG-RELEASE SYSTEMS



Kick-Lever



T-Pin*



Direct-Drive* * optional

WIND-DEFLECTION SYSTEMS



Coil-Spring



Leaf-Spring


SIGN ATTACHMENTS



Spin Handle



X-Connect Latch



Rigid Brackets



Rigid/Roll-Up



Quick Release

XFACTOR SIGN STANDS

XFACTOR COMPACT C-STAND 100/600 SERIES



NON WIND-DEFLECTABLE

XFACTOR COMPACT C-STAND 200/900 SERIES



LEAF-SPRING

XFACTOR COMPACT C-STAND 300/800 SERIES



COIL-SPRING



XFACTOR SIGN STANDS

XFACTOR MID-SIZE 500 SERIES



DUAL COIL-SPRING

XFACTOR MID-SIZE 550 SERIES



DUAL COIL-SPRING

XFACTOR FULL-SIZE 600 SERIES



DUAL COIL-SPRING

XFACTOR LARGE-SIZE 840 SERIES



DUAL LEAF-SPRING

XFACTOR SIGN STANDS

LEG LENGTH						
Model	Description	Wind Deflection	Leg Material	Short - 38” extended/ 25” unextended Long - 50” extended/ 30” unextended	Leg Release System	Sign Attachment
C-101-S-KLSH	XFactor Compact C-Stand - 101	None	Galvanized Steel	Short	Kick Lever	Spin Handle
C-101-S-KLLT	XFactor Compact C-Stand - 101	None	Galvanized Steel	Short	Kick Lever	Latch-Style
C-601-S-KLSH	XFactor Compact C-Stand - 601	None	Aluminum	Short	Kick Lever	Spin Handle
C-601-L-KLSH	XFactor Compact C-Stand - 601	None	Aluminum	Long	Kick Lever	Spin Handle
C-601-S-KLLT	XFactor Compact C-Stand - 601	None	Aluminum	Short	Kick Lever	Latch-Style
C-601-L-KLLT	XFactor Compact C-Stand - 601	None	Aluminum	Long	Kick Lever	Latch-Style
C-202-S-KLSH	XFactor Compact C-Stand - 200	Leaf Spring	Galvanized Steel	Short	Kick Lever	Spin Handle
C-902-L-KLSH	XFactor Compact C-Stand - 902	Leaf Spring	Aluminum	Long	Kick Lever	Spin Handle
C-301-S-KLSH	XFactor Compact C-Stand - 301	Coil Spring	Galvanized Steel	Short	Kick Lever	Spin Handle
C-301-S-KLLT	XFactor Compact C-Stand - 301	Coil Spring	Galvanized Steel	Short	Kick Lever	Latch-Style
C-801-L-KLSH	XFactor Compact C-Stand - 801	Coil Spring	Aluminum	Long	Kick Lever	Spin Handle
C-801-L-KLLT	XFactor Compact C-Stand - 801	Coil Spring	Aluminum	Long	Kick Lever	Latch-Style
X-551-KL	XFactor Mid-Size 550 Series - 551	Dual Coil Spring	Galvanized Steel	Long	Kick Lever	Roll-Up
X-552-KL	XFactor Mid-Size 550 Series - 552	Dual Coil Spring	Galvanized Steel	Long	Kick Lever	Rigid
X-553-KL	XFactor Mid-Size 550 Series - 553	Dual Coil Spring	Galvanized Steel	Long	Kick Lever	Roll-Up & Rigid
X-501-KL-EXT	XFactor Mid-Size 500 Series - 501	Dual Coil Spring	Aluminum	Long	Kick Lever	Roll-Up
X-502-KL-EXT	XFactor Mid-Size 500 Series - 502	Dual Coil Spring	Aluminum	Long	Kick Lever	Rigid
X-503-KL-EXT	XFactor Mid-Size 500 Series - 503	Dual Coil Spring	Aluminum	Long	Kick Lever	Roll-Up & Rigid
X-601-KL	XFactor Full-Size 600 Series - 601	Dual Coil Spring	Aluminum	XLarge	Kick Lever	Roll-Up
X-602-KL	XFactor Full-Size 600 Series - 602	Dual Coil Spring	Aluminum	XLarge	Kick Lever	Rigid
X-603-KL	XFactor Full-Size 600 Series - 603	Dual Coil Spring	Aluminum	XLarge	Kick Lever	Roll-Up & Rigid
X-841-DD	XFactor Full-Size 840 Series - 841	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Roll-Up
X-842-DD	XFactor Full-Size 840 Series - 842	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Rigid
X-843-DD	XFactor Full-Size 840 Series - 843	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Roll-Up & Rigid
E-352	XFactor Tri-Factor	None	Galvanized Steel	N/A	N/A	Rigid
E-353	XFactor Tri-Factor	None	Galvanized Steel	N/A	N/A	Roll-Up & Rigid
E-55	XFactor Tri-Factor - Tripod	None	Powder Coated Steel	N/A	N/A	Rigid
PGS	XFactor Econo Stand - Pogo	None	Galvanized Steel	N/A	N/A	Roll-Up

SIGN TYPES			STAND SPECIFICATIONS				WZ Letters	Page
Roll-Up Only	Rigid Only	Rigid & Roll-Up	Weight (lbs)	Storage Size W"x L"x H"	Open Size W"x L"x H"	Height Above Ground (w/48" sign)		
•			20	7.5 x 9.5 x 26.5	35 x 72 x 27.5	15"	WZ-07, WZ-13, WZ-56	6
•			20	7.5 x 9.5 x 26.6	35 x 72 x 27.5	15"	WZ-07, WZ-13, WZ-56	6
•			16	7.5 x 9.5 x 26.7	35 x 72 x 27.5	15"	WZ-13, WZ-56, WZ-56A	6
•			19.25	7.5 x 9.5 x 32.5	44 x 96 x 32.5	16.5"	WZ-13, WZ-56, WZ-56A	6
•			16	7.5 x 9.5 x 26.5	35 x 72 x 27.5	15"	WZ-13, WZ-56, WZ-56A	6
•			19.25	7.5 x 9.5 x 32.5	44 x 96 x 32.5	16.5"	WZ-13, WZ-56, WZ-56A	6
•			24	8 x 8.25 x 26.5	42 x 72 x 27.5	18"	WZ-13, WZ-56	6
•			22.5	8 x 8.25 x 32.5	53 x 96 x 27.5	18"	WZ-56	6
•			25	9 x 8 x 29	37 x 72 x 31	21"	WZ-303A	6
•			25	9 x 8 x 29	37 x 72 x 31	21"	WZ-303A	6
•			24.25	9 x 8 x 30	48 x 96 x 32	21"	WZ-303A	6
•			24.25	9 x 8 x 30	48 x 96 x 32	21"	WZ-303A	6
•			36	10 x 10.5 x 62.75	34 x 84 x 100	60"	WZ-07, WZ-13, WZ-56	6
	•		38	10 x 10.5 x 62.75	34 x 84 x 100	18"	WZ-07, WZ-13, WZ-56	6
		•	39	10 x 10.5 x 62.75	34 x 84 x 100	18" - 60"	WZ-07, WZ-13, WZ-56	6
•			38	7.5 x 10 x 66.5	39 x 83 x 136	60"	WZ-13, WZ-297	6
	•		40	7.5 x 10 x 66.5	39 x 83 x 136	12"	WZ-13, WZ-297	6
		•	41	7.5 x 10 x 66.5	39 x 83 x 136	12" - 60"	WZ-13, WZ-297	6
•			42	11.5 x 8 x 85.5	57 x 122 x 129.5	60"	WZ-13, WZ-56	7
	•		44	11.5 x 8 x 85.5	57 x 122 x 129.5	60"	WZ-13, WZ-56	7
		•	45	11.5 x 8 x 85.5	57 x 122 x 129.5	12" - 60"	WZ-13, WZ-56	7
•			41	11 x 10.5 x 80	56 x 85 x 156	120	WZ-59	7
	•		44	11 x 10.5 x 80	56 x 85 x 156	84"	WZ-78A	7
		•	45	11 x 10.5 x 80	56 x 85 x 156	84"-120"	WZ-59, WZ-78A	7
	•		17	9 x 4.5 x 55.5	48 x 45.5 x 75.5	15"	WZ-59, WZ-248	10
		•	18	9 x 4.5 x 55.5	48 x 45.5 x 75.5		WZ-59, WZ-248	10
	•		12	4.5 x 2 x 62	57 x 48 x 45		N/A	10
•			7	12 x 2.5 x 56			N/A	10

SIGN STANDS


**XFACTOR TRI-FACTOR
TRIPOD STAND E-55**



**XFACTOR TRI-FACTOR
350 SERIES**



**XFACTOR ECONO
STAND POGO**



ECONO FLASHER STAND

MODEL NO.

072-QUICKBASE-R



UB-8400 RUBBER BASE

MODEL NO.

UB-8432-BASE



GUARD RAIL SIGN MOUNT

Guard Rail Clamp Bracket is heavy-duty steel. GRC-3 fits on 3" H-beam style Guard Rail, GRC-5 fits on 5" H-Beam Guard Rail. 1/2" T-Handle holds Guard-Rail Clamp securely in place.

MODEL NO.	WEIGHT
GRC-3-202-SH-M&LS	32 lbs.
GRC-5-880-M&LS	40 lbs.



TRUCK MOUNT STORAGE BRACKET

Storage Bracket fits all compact and mid-size sign stands. Easy to install, inside or outside of truck, for quick and convenient storage.

MODEL NO.	SIGN STAND SIZE
TMB-C	Compact



VEHICLE HITCH MOUNT SIGN HOLDER

Transform any standard vehicle hitch into a Roll-Up sign holder. This sign holder fits into a 2" square hitch receiver. Attach a 36"x 36" or 48"x 48" Standard Roll-Up sign or C-Sign to the aluminum mast with a roll-up bracket, jaw clamp or quick-attachment.

This system is intended for slow-moving or stopped vehicles only. We recommend that signs be removed for speeds above 30 mph.



MODEL NO.	DIMENSIONS	WEIGHT
TBB-01	38.25" H X 12" D X 2" W	8 lbs.

MEDIAN BARRIER SIGN MOUNT

Dual vertical steel Coil-Springs provide superior wind-deflection for stability and added visibility. Displays Roll-Up and/or Rigid signs. Available with 2 Rigid brackets, 1 Roll-Up bracket or 2 Rigid and 1 Roll-Up bracket.



MODEL NO.	CLAMP GRIP RANGE	WEIGHT
MBC-8-553	3"-8"	30 lbs.
MBC-8-603	3"-8"	32 lbs.
MBC-12-553	5"-12"	35 lbs.
MBC-15-553	8"-15"	37 lbs.
MBC-12-603	5"-12"	41 lbs.
MBC-15-603	8"-15"	43 lbs.

FLAG TREE STAND

Made of galvanized steel, the fixed non-flexible mast holds up to 5 flags (sold separately). It features a 2-position, T-pin leg release system.

MODEL NO.	DIMENSIONS
F-100-5FH	Extended: 21.5" W x 77" D x 90" H
F-100-3FH	Folded: 9" W x 9.5" D x 52" H





ROLL-UP SIGNS

Eastern Metal Signs & Safety's Roll-Up signs are professionally screen or digitally printed, on various retro-reflective and non-reflective materials to ensure maximum visibility in all conditions and uses (road work, telecommunications, utilities, landscapers, etc).

Our signs are constructed with two orange fiberglass battens (ribs) that crisscross the back and provide stability for the sign itself. Battens can then be secured in a variety of different ways. We feature four Lexan pocket options, as well as half Lexan pockets, Lock-Pocket™ and sewn pocket options. They can be used with a variety of stands that we also manufacture.

Our Roll-Up signs offer:

- A full range of sizes and materials available
- Meet MUTCD requirements
- A full range of standard legends, plus custom legends upon request
- Are made of high-quality retro-reflective and non-reflective materials
- Various pocket choices specific to your project
- Proudly constructed in America

Always check with local or state agencies to ensure accurate reflectivity, color, and size specifications are met.

NON-REFLECTIVE

Mesh



Vinyl



REFLECTIVE

Super Bright™



Marathon™



DID YOU KNOW?

According to MUTCD, Section 6F.04, "Signs should be properly maintained for cleanliness, visibility, and correct positioning. Signs that have lost significant legibility should be promptly replaced."

Diamond Grade™



POCKET OPTIONS

All pocket types are available on Standard Roll-Up Signs. Our signature Lock-Pockets™ slide open and closed to eliminate the need to bend or bow the battens when inserting or removing them from the pocket.



FULL-LEXAN



HALF-LEXAN



LOCK-POCKET™



K-POCKET



SEWN POCKET

ROLL-UP SIGNS


- 1 Optional Warning Flags
18" or 24" Fluorescent Orange Vinyl or Fluorescent Red-Orange Vinyl, with 24", 30", or 36" staff.
- 2 1" diameter clear Lexan washers used to rivet sign to vertical cross-brace, prevents sign from ripping out. Lexan washers do not rust or obstruct legend.
- 3 Vertical cross-brace riveted to back of sign.
- 4 Full Lexan Pocket (other pockets available)
- 5 Horizontal brace pivots to easily slide into pockets.
- 6 Riveted center or nut and bolt assembly..
- 7 Clear Lexan backer with four rivets secures pocket and does not obstruct legend.
- 8 Anti-kiting strap.



Spin handle attachment for compact sign stands.



Vertical cross-brace slides into spin-handle assembly and locks in place.



Optional, short third brace is used to attach the sign to a Roll-Up sign holder for mid and full size stands.



Overlays and overlay provisions are available on all Roll-Up warning signs. Sewn Velcro strips attached to the front of the sign and the back of the overlay can reduce inventory and increase overall value by giving your signs extra versatility. All of our overlays are available in the same reflective materials and colors as our Roll-Up signs.



Optional Roll-Up sign storage cases are heavy-duty vinyl construction. Available for all Roll-Up signs sizes, with or without sign legend printed on case.

MODEL NO.
SC-36-HD
SC-48-HD




Optional Universal Jaw Clamp affixes to center point of any Roll-Up Sign batten-set.

MODEL NO.
JC

ROLL-UP SIGNS

INCIDENT MANAGEMENT ROLL-UP SIGNS

Reflective fluorescent pink vinyl meets retro-reflective standards, provides early highly-visible warning to motorists and pedestrians, while preventing infringements into an active incident management area. Our incident management Roll-Up signs meet both Federal MUTCD, Chapter 6I and National Fire Protection Association (NFPA) Standard No. 1561 and are compatible with all X-Factor compact sign stands.



EZ-SET SYSTEM

EZ Set sign and stand system offers compact convenience with wrap-around storage of the sign to the stand. Available in Super Bright and Marathon materials.

MODEL NO.	DESCRIPTION
C-801-L-KLSH	EZ-Set Sign Stand (30" unextended legs)
DCF-36-SBR	36" orange
DCF-48-SBR	48" orange
DCF-36-SBC	36" coral
DCF-48-SBR	48" coral
DCF-36-MAR	36" marathon
DCF-48-MAR	48" marathon

Fluorescent
Orange
SBO/RVO

Fluorescent
Coral Pink
SBP/RVP

Fluorescent
Orange
MARO




Eastern Metal Signs & Safety understands Rigid Sign manufacturing. We utilize the latest multi-color digital printers, producing what you need quickly and efficiently. We print directly onto all types of substrates and sheeting to offer you endless possibilities. From Temporary Traffic Control to Regulatory and Warning signs, it's easy to see why our customers choose us for their Rigid signage needs. We guarantee your job will be produced by people who understand quality as well as the needs of MUTCD specifications*.

We carry a full line of Rigid Traffic Control signs with the most popular legends in stock, but if you need a custom legend, please call us for pricing and availability.

** Consult your state or local government representatives to confirm specification requirements in your area..*



RIGID SIGNS



SUBSTRATES

- Aluminum
 - .063" – .100"
 - .080" – .125"
- Aluminum Composite Material–3mm
- Coroplast–10mm
- Wood–5/8" MDO Plywood

SHEETING

- EG: Engineer Grade reflective
- HI: High Intensity™ Prismatic reflective
- DG: Diamond Grade reflective
- VYL: Vinyl, non-reflective

GUIDE & PARKING • REGULATORY • SCHOOL ZONE SAFETY • TEMPORARY TRAFFIC CONTROL • WARNING



RIGID SIGNS

OSHA, HAZARD AND SAFETY SIGNS

Available in a variety of standard sizes and colors.
Add a standard or custom legend.



REFLECTIVE SHEETING

We can offer a wide range of colors and sizes.



High Intensity Prismatic Type IV:
Red, White, Brown, Blue, Orange, Yellow, Green

18HIP	18" x 50 yards HIP rolled sheeting
24HIP	24" x 50 yards HIP rolled sheeting
30HIP	30" x 50 yards HIP rolled sheeting
36HIP	36" x 50 yards HIP rolled sheeting
48HIP	48" x 50 yards HIP rolled sheeting



Premium Prismatic Type IX:
Blue, Green, Red, Orange, Yellow, White

18DGR3924	18" x 50 yards DGR rolled sheeting
24DGR3924	24" x 50 yards DGR rolled sheeting
30DGR3924	30" x 50 yards DGR rolled sheeting
36DGR3924	36" x 50 yards DGR rolled sheeting
48DGR3924	48" x 50 yards DGR rolled sheeting



We put safety in work zone. Most traffic control regulations require the use of a STOP/SLOW paddle or flagger-helper when performing work on non-highway locations. Our Flagger-Helpers™ help operators to direct motorists. We offer the paddle sizes and reflectivity option that conform with federal and state requirements. In addition, we have designed them with the flagger in mind, with a Quik-Snap™ button, and a lightweight, rugged PVC handle and support staff minimizing operator fatigue.

We've gone one step further, with the invention of our Visual-Alert™ LED Paddle. The flashing LEDs provide an added warning that alerts drivers earlier, regardless of lighting and weather conditions. The 18" and 24" paddles are available in Hi-Intensity, Diamond Grade™ configurations and operate for many hours on household "C" batteries.



Eastern Metal
SIGNS & SAFETY



STOP/SLOW PADDLES

VISUAL ALERT™ LED PADDLES

- Flashing LED's provide an early "alert" and demands drivers' attention.
- Support-Staff minimizes operator fatigue
- Operates in all weather: -40°F – +130°F
- Requires C-Cell batteries 18" (3 batteries) 24" (4 batteries), sold separately
- Will operate continuously for many hours.



On/Off Button
Snap-Button Attachment

LED 18" STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
VA-WZ-1865	6.5"	NO STAFF
VA-WZ-1872	6.5"	72"
VA-WZ-1884	6.5"	84"

LED 24" STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
VA-WZ-2465	6.5"	NO STAFF
VA-WZ-2472	6.5"	72"
VA-WZ-2484	6.5"	84"

VISUAL-ALERT™ PADDLE ACCESSORIES

MODEL NO.	DESCRIPTION
VA-WZ-72-STAFF	72" Support Staff for VA-WZ Series Paddles
VA-WZ-84-STAFF	84" Support Staff for VA-WZ Series Paddles
VA-WZ-18-SV-COVER	18" Sign-Velope™ Storage Cover
VA-WZ-24-SV-COVER	24" Sign-Velope™ Storage Cover
VA-18-HARD_CASE	18" Hard Storage Case with Velcro Closure
VA-24-HARD_CASE	24" Hard Storage Case with Velcro Closure

PROTECT YOUR INVESTMENT



72" Support Staff



Sign-Velope™
Storage Cover



Hard Storage Case
with Velcro Closure

STOP/SLOW FLAGGER HELPER

- ABS Paddle and PVC Staff are lightweight, non-conductive and rugged.
- Support-Staff minimizes operator fatigue and increases visibility, improving operator safety.

WORK ZONE 18" FLAGGER HELPER™ STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-1812	12"	NO STAFF
FLH-1872	12"	60"
FLH-1884	12"	72"

WORK ZONE 24" FLAGGER HELPER™ STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-2412	12"	NO STAFF
FLH-2472	12"	60"
FLH-2484	12"	72"



Available in:

- HI (High Intensity STOP/SLOW)
- HI (High Intensity STOP/STOP)
- HI/DGF (High Intensity STOP / Diamond Grade SLOW)
- DG/DGF (Diamond Grade STOP / Diamond Grade SLOW)

STOP/SLOW FLAGGER HELPER

Available in Engineer Grade, Hi-Intensity, and Diamond Grade™ Reflective sheeting. Paddles are made of .080 Aluminum, and come in 18" or 24" sizes. Includes a 2-part PVC staff (12" handle & 60" staff). Made in America.

MODEL NO.	DESCRIPTION
SS-18	18" Aluminum STOP/SLOW Paddle
SS-18-HI	18" Aluminum STOP/SLOW Paddle
SS-18-DGR	18" Aluminum STOP/SLOW Paddle
SS-24	24" Aluminum STOP/SLOW Paddle
SS-24-HI	24" Aluminum STOP/SLOW Paddle
SS-24-HI/DGR	24" Aluminum STOP/SLOW Paddle
SS-24-DGR	24" Aluminum STOP/SLOW Paddle

FLAGGER HELPER™ PADDLE ACCESSORIES

MODEL NO.	DESCRIPTION
FLH-60-STAFF	60" Support Staff for FLH-Series Paddles
FLH-72-STAFF	72" Support Staff for FLH-Series Paddles
FLH-18-SV-COVER	18" Sign-Velope™ Storage Cover
FLH-24-SV-COVER	24" Sign-Velope™ Storage Cover
FLH-94-STAFF	Retractable Staff



Support Staff



Retractable Staff



Sign-Velope™
Storage Cover

STOP/STOP FLAGGER HELPER

Available in Hi-Intensity or Diamond Grade Reflective sheeting. Paddles are made of ABS Plastic. Includes a 12" PVC handle (60" and 72" staffs available). Made in America.

MODEL NO.	DESCRIPTION
CG-1812	18" ABS STOP/STOP Paddle
CG-1872	18" ABS STOP/STOP Paddle with 60" staff
CG-1884	18" ABS STOP/STOP Paddle with 72" staff

STOP/SLOW ROLL UP

MODEL NO.	DESCRIPTION	LENGTH
SS-18-SR	Scroll style	18"
SS-24-SR	Scroll style	24"
SB243A	3-piece staff & case	24"



TC SERIES CONES

TC1 SERIES: SOLID FLUORESCENT ORANGE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC1-18PO6	18"	Wide-Body / With Collars	3 lbs.
TC1-28POSL64	28"	Slim-Line / With Collars	7 lbs.
TC1-28PO64	28"	Wide-Body / With Collars	7 lbs.
TC1-28POH64	28"	Wide-Body / With Collars	10 lbs.
TC1-36PO64	36"	Wide-Body / With Collars	10 lbs.
TC1-36POH64	26"	Wide-Body / With Collars	12 lbs.



TC2 SERIES: SOLID FLUORESCENT GREEN

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TCFYG-28PO64	28"	Wide-Body / With Collars	7 lbs.
TCFYG-36PO64	36"	Wide-Body / With Collars	10 lbs.
TCFYG-28	28"	Wide-Body	7 lbs.
TCFYG-36	36"	Wide-Body	10 lbs.



TC2 SERIES: ORANGE WITH BLACK BASE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC2-18PO6	18"	Wide-Body / With Collars	3 lbs.
TC2-28PO64	28"	Wide-Body / With Collars	7 lbs.
TC2-28POH64	28"	Wide-Body / With Collars	10 lbs.
TC2-28POHSL64	28"	Slim-Line / With Collars	10 lbs.
TC2-36PO64	36"	Wide-Body / With Collars	10 lbs.
TC2-36POH64	36"	Wide-Body / With Collars	12 lbs.
TC2-36POH64	36"	Wide-Body / With Collars	15 lbs.



Available without HIP Reflective Collars. When ordering remove "64" from Model No. for No Collars.

TCB SERIES CONE BARS


Field-adjustable Cone Bars are durable, reusable, easy to use, and fit over traffic cones using built-in plastic rings.

MODEL NO.	LENGTH	WEIGHT	CONSTRUCTION
TCB-6-YB	46"-80"	1 lb	8" Engineer Grade Yellow Stripe on Black PVC
TCB-10-YB	65"-120"	1.4 lb	8" Engineer Grade Yellow Stripe on Black PVC
TCB-6-OW	46"-80"	1 lb	8" Engineer Grade White & Orange stripes on White PVC
TCB-10-OW	65"-120"	1.4 lb	8" Engineer Grade White & Orange stripes on White PVC



CONE SIGN

MODEL NO.	DESCRIPTION
TC-SIGN-LV-R	Reflective, Single Notch
TC-SIGN-LV-NR	Non-Reflective, Single Notch
TC-SIGN-NR-A100	Non-Reflective, Double Notch
TC-SIGN-EG-A100	Reflective, Double Notch



9100 SERIES DRUMS

MODEL NO.	DESCRIPTION
DRUM-4-4EG	Drum, with 4- 4" EG stripes (NY,ME)
DRUM-4-4HI	Drum, with 4- 4" HIP Stripes (AR,NH,CO,FL,OH,GA,KY,TX)
DRUM-HD-9100-6HI(4)	Drum, with 4- 6" HIP Stripes (AL, NJ, PA, IN, SC, LA, TN, WV, NC)
DRUM-4-6DGR	Drum, With 4- 6" DGR Stripes (CT, DE, RI, MA, MD, VA, IL)
HTR-22.5	22.5" truck tire sidewall (DRUM-TR-9025)



RING-TOP DELINEATORS

- 42" height to top of ring-top provides maximum visibility.
- Reflective stripes are available in Engineer Grade (EG) or Hi-Intensity Prismatic (HI).
- Oversized closed handle (the "ring top") for easy gripping, lifting, and attaching, various warning-tapes.
- Rubber Bases and Warning Lights available both sold separately.

MODEL NO.	DESCRIPTION
1 RT-7100-742702	Tube-Striped (2) 3" EG White Bands
RT-7100-755052	Tube-Striped (2) 3" HI White Bands
2 RT-7200-742728	Cone-Striped 6" Top/4" Bottom EG White Bands
RT-7200-742078	Cone-Striped 6" Top/4" Bottom HI White Bands
3 RT-7300-742715*	Drum-Striped* (4) 6" EG Orange/White Bands
RT-7300-755104*	Drum-Striped* (4) 6" HI Orange/White Bands
RT-7300-756079*	Drum-Striped* (4) 6" DG Orange/White Bands
RT-7010-742507	10lb Octagon Rubber Base
RT-7015-742520	15lb Octagon Rubber Base
RT-7022-742533	22lb Rectangle Base
RT-7032-742546	32lb Rectangle Base

*4" Collars also available



VERTICAL PANEL UNITS

Both styles of Vertical Panels come with a large handle area for an easy grip, a hassle free warning light placement, and comes with 100% recycled rubber base. Engineer Grade (EG), High Intensity (HI), or Diamond Grade (DG) sheeting available.



MODEL NO.
645000 SERIES



MODEL NO.
VP-6500 SERIES

BARRICADES

BG-2200 SERIES BARRICADES*

- Features galvanized steel legs and plastic panels.
- Foldable for easy storage.
- 45" tall x 24" wide x 2.75" thick. Designed to store folded/upright.
- Available in Type I or Type II

MODEL NO.	WIDTH	TOP PANEL	BOTTOM PANEL
BG-2200	24"	8" or 12"	8"



BP-2100 SERIES BARRICADES*

- Features all plastic construction with integrated legs and panels.
- Easily unfolds for Quick Deployment when every second counts.
- 45" tall x 24" wide x 2.5" thick. Weight is 15 lbs (up to 23 lbs with optional SBS).
- Available in Type I or Type II.

MODEL NO.	WDTH.	TOP PANEL	BOTTOM PANEL
BP-2100	24"	8" or 12"	8"
BP-2100-SBS	SBS-Sand Ballast System: Ballast Containers (set of 2) for all BP-2100 Series.		



BR-3000 SERIES BARRICADES*


- Perfect for crowd or traffic control.
- Available in Type I or Type II.

MODEL NO.	QTY.	RAIL THICKNESS	RAIL WIDTH	RAIL HEIGHT
BR-3100	ONE RAIL	1"	8"	48", 72", 96"
BR-3200	ONE RAIL	2"	8"	48", 72", 96", 120", 144"
BR-3042-A-LEG	one 42" A-Leg only (Two A-Legs Required)			



Single-Sided Rails
(left or right)

RIGHT STRIPING (R)



**BLOCKS RIGHT LANE
GUIDES TRAFFIC LEFT**

LEFT STRIPING (L)




**BLOCKS LEFT LANE
GUIDES TRAFFIC RIGHT**

* Type I: Top panels are reflective/bottom panels are 6" non-reflective.
Type II: Top and bottom panels are reflective

BC-3000 SERIES BARRICADES

- Features galvanized steel Break-A-Way™ frame with extruded plastic rails.
- Type III
- All models include 2 uprights, 2 bases and 3 rails



MODEL NO.		RAIL SPECIFICATIONS AVAILABLE IN EG, HI, DG		
		THICKNESS	WIDTH	HEIGHT
BC-3105	5' Upright	1"	8"	48", 72", 96"
BC-3110	10' Upright	1"	8"	48", 72", 96"
BC-3205	5' Upright	2"	8"	48", 72", 96", 120", 144"
BC3210	10' Upright	2"	8"	48", 72", 96", 120", 144"

BARRICADE WARNING LIGHTS

Lights are lightweight with compact cases that mount directly to most signs, drums, and barricades. Many options and features are available to fit your needs for both day and night.

* Standard lens color is amber unless specified (R) red, (B) blue, (G) green, (C) clear

300 SERIES: TYPE A (FLASHING) AND TYPE C (STEADY-BURN) LED LIGHTS FOR NIGHT ONLY

FEATURES

- Internal Switch Modes
- OFF/FLASH or OFF/STEADY or OFF/FLASH STEADY, available photo cell, uses (2 or 4) D-Cell batteries.
- Available in amber (A), red (R), blue (B), green (G) and clear (C) lens.



MODEL NO.	LIGHT VOLTAGE
LED-303	3-Volt

400 SERIES: TYPE A (FLASHING) AND TYPE C (STEADY-BURN) INCANDESCENT AND LED LIGHTS FOR NIGHT

FEATURES

- Internal Switch Modes
- OFF/FLASH or OFF/STEADY or OFF/FLASH STEADY, available photo cell, uses (1 or 2) 6-Volt batteries.
- Available in amber (A), red (R), blue (B), green (G) and clear (C) lens.



MODEL NO.	LIGHT VOLTAGE
LED-406	6-Volt and 12-Volt

800 SERIES: TYPE B (FLASHING HI-INTENSITY) LED LIGHTS FOR DAY OR NIGHT

FEATURES

- Internal Switch Modes
- OFF/FLASH, Reverse Photo Cell, uses (1 or 2) 6-Volt batteries
- Available in amber (A) or red (R) Lens.



MODEL NO.	LIGHT VOLTAGE
LED-803F	3-Volt
LED-806F	6-Volt

900 SERIES: TYPE B (FLASHING HI-INTENSITY) LED BARRICADE LIGHTS FOR DAY OR NIGHT

FEATURES

- Internal Switch Modes
- OFF/FLASH, Reverse Photo Cell, uses (1 or 2) 6-Volt batteries, minimum Candela Output of 35 by day and 18 by night with average of 65 flashes per minute.
- Available in amber (A) or red (R) lens with or without detachable head.



MODEL NO.	LIGHT VOLTAGE
LED-906F	6-Volt
LED-906-DH (Detachable Head)	6-Volt
LED-912F	12-Volt
LED-912-DH (Detachable Head)	12-Volt



Eastern Metal
SIGNS & SAFETY

18" WARNING FLAGS

	VINYL	MESH	DESCRIPTION
TYPE 1	FROV-118/24	FROM-118/24	18" flag with wooden 24" staff
TYPE 1	FROV-118/30	FROM-118/30	18" flag with wooden 30" staff
TYPE 1	FROV-118/36	FROM-118/36	18" flag with wooden 36" staff
TYPE 2	FROV-218/24	FROM-218/24	18" flag with wooden 24" staff
TYPE 2	FROV-218/30	FROM-218/30	18" flag with wooden 30" staff
TYPE 2	FROV-201/36	FROM-218/36	18" flag with wooden 36" staff
TYPE 3	FROV-318	FROM-318	18" flag with metal grommets



24" WARNING FLAGS


	VINYL	MESH	DESCRIPTION
TYPE 1	FROV-124/30	FROM-124/30	24" flag with wooden 30" staff
TYPE 1	FROV-124/36	FROM-124/36	24" flag with wooden 36" staff
TYPE 2	FROV-214/30	FROM-214/30	24" flag with wooden 30" staff
TYPE 2	FROV-214/36	FROM-214/36	24" flag with wooden 36" staff
TYPE 3	FROV-324	FROM-324	24" flag with metal grommets



Fluorescent
Red/Orange
Vinyl



Fluorescent
Red/Orange
Mesh



MISCELLANEOUS ITEMS

DAY/NIGHT TRANSPORTERS FLAG-CLAMP KIT™

KIT NO. LC-2250-200SD

MODEL NO.	KIT INCLUDES
LC-250-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
LC-210 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle.
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
MM-200SD-PL	(1) Transporter Strobe Light™ with Amber Lens, Hex-head Bolt, and external switch.
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries



DAY/NIGHT TRANSPORTERS FLAG-CLAMP KIT™

KIT NO. LC-2250-RM-102

MODEL NO.	KIT INCLUDES
LC-250-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
LC-210 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle.
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
RM-102-PL	(1) Transporter Strobe Light™ with Red/Amber Lens, Hex-head Bolt, and external switch.
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries



DAYTIME TRANSPORTERS FLAG-CLAMP KIT™

KIT NO. FC-2150-200SD

MODEL NO.	KIT INCLUDES
FC-150-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
FC-110 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
MM-200SD-PL	(1) Transporter Strobe Light™ with Amber Lens, Hex-head Bolt, and external switch
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries



FIRE HYDRANT MARKER

Reflective striped 3/8" thick fiberglass rod is over 5' tall and helps keep Fire Hydrants visible at night and in snow.

MODEL NO.	DESCRIPTION
FHM-SM	Side Mount Hydrant
FHM-TM	Top Mount Hydrant



COMMERCIAL VEHICLE GUIDES

Highly visible snow plow markers.

MODEL NO.	DESCRIPTION
SPT-28(2)	28" Markers (Set of 2)
SPT-36(2)	36" Markers (Set of 2)
SPT-48(2)	48" Markers (Set of 2)



SLOW MOVING VEHICLE EMBLEM

Slow Moving Vehicle Symbols provide 1/4-mile visibility day or night. Fluorescent Orange Center with a Reflective Red (EG) Border.

MODEL NO.	DESCRIPTION	WEIGHT
SMV-02-EG/AL	Aluminum Sign with holes for mounting Pressure Sensitive Decal for Direct application	12 oz.
SMV-24-PS/EG		2 oz.



EMERGENCY TRIANGLE 3-PACK

Hi-Visibility Reflective Triangles provide instant road warning day or night.

MODEL NO.	DESCRIPTION
RF-950(3P)	Three (3) Reusable Reflective Triangle Flares in plastic Storage Box



OVERSIZE LOAD SIGNS

Aluminum signs with yellow, Engineer Grade or High-Intensity sheeting and large black letters. Available as flat or center-hinged in many sizes.

MODEL NO.	DESCRIPTION
OSL-6012-EG/AL	60" x 12" Yellow EG
OSL-7212-EG/AL	72" x 12" Yellow EG
OSL-8418-EG/AL	84" x 18" Yellow EG
OSL-6012-HI/AL	60" x 12" Yellow HI
OSL-7212-HI/AL	72" x 12" Yellow HI
OSL-8418-HI/AL	84" x 18" Yellow HI

* For Center Hinged add a -CH



STENCILS

Over 300 standard ready-to-ship stencil designs, made of 100% polymer are easy to transport, lighter than wood or metal, and clean up easily. Stencils are all designed to meet D.O.T. specs nationwide.



MISCELLANEOUS ITEMS

E-FLARES

ntensely Bright , Infinitely Versatile, Portable and Simple to Use. HAZMAT Accreditation: Certified to operate safely in Class 1, Division 2 / Zone 2 hazardous areas.

FLARES

MODEL NO.	DESCRIPTION
AT280A	Amber LED
AT290R or AT290A	Red or Amber LED

* Other colors available please contact us for more information



ACCESSORIES

MODEL NO.	DESCRIPTION
EF-CLIP	Clip
EF-MAGCLIP	Magnetic Clip
EF-BASE	Base
EF-MAGBASE	Magnetic Base
EF-BAG4	Canvas Bag



SANDWICH BOARDS

MODEL NO.	DIMENSIONS	WEIGHT
Sign-A-Cade 36	25"w x 36"h x 3"d	17 lbs.
Mini-Cade	13"w x 36"h x 3"d	10 lbs.



VP PEDESTRIAN UNITS

Ideal for protecting pedestrians and school children from high-traffic crosswalks. Frame and base separate upon impact, minimizing damage to frame and base.

MODEL NO.	DESCRIPTION
VP-6536-YIELD-FB	(2) 12"x36" YIELD Panel, 1 frame and base
VP-6536-STOP-FB	(2) 12"x36" STOP Panel, 1 frame and base
VP-6536-FRAME	(1) 48" Frame only (replacement frame)
VP-6536-BASE	(1) 32 lbs Base (replacement base)



BARRICADE TAPES

Barricade Tapes are a fast, highly visible way to restrict entry to hazardous areas and work great for many marking purposes. Many legends are available and in stock. 3"x1000', 4ml



MODEL NO.	DESCRIPTION
CT-3100	Caution
CTCA-3100	Caution-Construction Area
PLDNC-3100	Caution-Police Line-Do Not Cross
CTDNE-3100	Caution-Do Not Enter

MARKER FLAGS

Vinyl flags for long-term dependability. With or with out print are available. Come in a variety of colors to fit your needs. Staff's come in wire or plastic. Available in bundles of 1000.

MODEL NO.	DESCRIPTION
Marker FLAG 4X5	4" X 5" Flag with Wire or Plastic Staff
Marker FLAG 5X6	5" x 6" Flag with Wire or Plastic Staff



LINE MARKERS

Line Markers are a fiberglass base composite developed to drive easily in all soil conditions. Available with or without warning message label. Available in cases of 20.

MODEL NO.	DESCRIPTION
LMRB-62	62" Rib-Back Marker
LMRB-66	66" Rib-Back Marker
LMRB-72	72" Rib-Back Marker



UTILITY/WARNING BULLET MARKERS

Provides 360° visibility for superior line identification. Made with specially formulated UV protected high density polyethylene. Custom colors also available.

High-Density, Polyethelene (HDPE) post color: White, Yellow, Orange, Blue and Red

Bullet color: White, Yellow, Orange, Blue, Red and Black



BOLLARD COVERS


Bollard covers are a great way to improve your facility's appearance while reducing maintenance costs. The covers easily slide over the top of your current posts and are secured in place with patented grip tabs. A variety of colors and sizes available. Contact us if you need a custom size or color



MODEL NO.	DESCRIPTION	COLOR
BC452	4"x52"	Blue, Bright Green, Yellow
BC752	7"x52"	Red, Yellow
BC760	7"x60"	Yellow
BC772	7"x72"	Yellow
BC872	8"x72"	Yellow

DELINEATORS

Low cost, high-impact guard rail, barrier mount, and post delineators in many shapes and sizes with reflective materials to meet every requirement.



TEMPORARY OVERLAY PAVEMENT MARKERS (TOMs)

TOMs are the most convenient product to provide short-term pavement markings. They are simple to place, easy to remove, and provide effective delineation of lane lines in paving projects until permanent pavement markings can be applied.

MODEL NO.	COLOR	REFLECTIVE SIDE
TOM-Y-1S	Yellow	1-Side
TOM-Y-2S	Yellow	2-Side
TOM-W-1S	White	1-Side
TOM-W-2S	White	2-Side



MANHOLE GUARDS

Manhole guards create a temporary barrier to prevent access to open manholes, and keep traffic and pedestrians away from underground facilities. The material life features a two-ratchet system, 300 lbs. capacity and automatic brake for load control.



NON LIFT-COMPATIBLE

MODEL NO.	DESCRIPTION	WEIGHT
MGA-3842K	Aluminum Guard	23 lbs.

LIFT-COMPATIBLE

MODEL NO.	DESCRIPTION	WEIGHT
MGA-3842K-LIFT	Aluminum Guard	23 lbs.
MG-LIFT	Material Lift	33 lbs.

STREET NAME HARDWARE

ROUND POST HARDWARE



SNH-Cap-12-38F
SNH-Cap-12-38X
12" Fits 2-3/8" o.d



SNH-Cap-922-RF
SNH-Cap-922-RX
5-1/2" fits 2-3/8" o.d

U-POST HARDWARE



SNH-Brkt-12U-90F
SNH-Brkt-12U-90X
12" 90° fits all U-Post
180° options also available



SNH-Brkt-91UF-OL90
SNH-Brkt-91UX-OL90
5-1/2", 90° fits all U-Post
180° options also available

CROSS CONNECTORS



SNH-Sep-990F
SNH-Sep-990X
5-1/2", 90°



SNH-Brkt-457F
SNH-Brkt-457X
3-3/4" multi angle
45°, 135°, 180°,
cannot be set at 90°



SNH-Brkt-12-90F
SNH-Brkt-12-90X
12" 90° cross bracket

U-CHANNEL POSTS

U-Channel posts are a simple and durable post for mounting signs. Baked Enamel (Green) and Galvanized options are available. Break-Away kits with base post, Lap-Splice and uprights also on hand!

MODEL NO.	DESCRIPTION
UCP-62-BE	6' Baked Enamel 2#/ft
UCP-62-GALV	6' Galvanized 2#/ft
UCP-82-BE	8' Baked Enamel 2#/ft
UCP-82-GALV	8' Galvanized 2#/ft
UCP-102-BE	10' Baked Enamel 2#/ft
UCP-102-GALV	10' Galvanized 2#/ft

BASE POSTS

MODEL NO.	DESCRIPTION
UBP-3525-GALV	3'6" Galvanized 2.5#/ft
UBP-3525-BE	3'6" Baked Enamel 2.5#/ft



SQUARE POSTS

MODEL NO.	DESCRIPTION
SPF-10175-GALV-14	10' POST 1 3/4" X 1 3/4"
SPF-12175-GALV-14	12' POST 1 3/4" X 1 3/4"
SPF-102-GALV-14	10' POST 2"X2"
SPF-122-GALV-14	12' POST 2"X2"

BASE POSTS

MODEL NO.	DESCRIPTION
SPB-32-GALV-12	3' Base Post 2"x2"
SPB-3225-GALV-14	3' Base Post 2.25"x2.25"

QUICK DRIVE ANCHOR

MODEL NO.	DESCRIPTION
SPB-QDA250-42-G	3"X42" Quick Drive L-Anchor 7Ga



STREET NAME HARDWARE

8" BLADE HEIGHT

Font	Highway Gothic C Series
Font Size	4" Cap, 3" Lowercase
Prefix	3" Cap
Suffix	3" Upper/Lower



12" BLADE HEIGHT

Font	Highway Gothic C Series
Font Size	6" Cap, 4.5" Lowercase
Prefix	4.5" Cap
Suffix	4.5" Upper/Lower

	Blade Length	MAX # of Characters
Sperr St	18"	5
Clemens Rd	24"	7
Sage Brush Ln	30"	10
Winter Hollow Rd	36"	13
Forrest Springs Dr	42"	15
Logan Valley Lakes Ln	48"	18
Hemmingway Garden Run Ct	54"	21
Denton Mountain Express Dr	60"	23

Blade Length	MAX # of Characters	
18"	2	Ty St
24"	4	Sing Rd
30"	6	Spring Ln
36"	8	Windgate Dr
42"	10	University Ct
48"	11	Stage Coach Rd
54"	12	School House Ln
60"	14	Shadows Hollow Rd



Extruded Blades also available



JACKSON CONTRAST HI-VIS VEST

ANSI/ISEA 107-2015 Type R Class 2

- 2" silver reflective tape with contrast material
- Cooling mesh back, lightweight solid polyester front
- Pockets: 1 cell phone, 1 2-tiered chest w/pen division, 2 lower hip, 2 internal
- 2 mic tabs
- Zipper closure

MODEL NO.	COLORS	SIZES
US372	YELLOW	MEDIUM - 3XL
	ORANGE	



HI-VIS CLASSIC CONTRAST RAIN JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic storm cuff
- Pockets: 2 large front
- Zipper closure with inner stormflap
- Vented back yoke and eyelets
- Contrast panel for protection against dirt
- Lightweight, waterproof fabric with sealed seams

MODEL NO.	COLORS	SIZES
UH443	YELLOW	SMALL - 7XL



AURORA SLEEVED HI-VIS VEST

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape with contrast material
- Cooling mesh back, lightweight solid polyester front
- Pockets: 1 cell phone, 1 2-tiered chest w/pen division, 2 lower hip, 2 internal
- 2 mic tabs
- Zipper closure

MODEL NO.	COLORS	SIZES
US373	YELLOW	MEDIUM - 5XL
	ORANGE	



HI-VIS CLASSIC CONTRAST RAIN PANTS

ANSI/ISEA 107-2015 Type R Class E

- 2" silver reflective tape
- Elastic waist
- Twin stitched seams
- Adjustable snap hems for a secure fit
- Contrast panel for protection against dirt
- Lightweight, waterproof fabric with sealed seams

MODEL NO.	COLORS	SIZES
H444	YELLOW	SMALL - 6XL



HI-VIS CONTRAST TAPE BOMBER JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape with high visibility orange contrast trim
- Pack-away adjustable hood
- Elastic waistband and adjustable cuffs
- Quilted lining
- Pockets: 1 left chest radio, 2 lower front, 1 inner tablet
- 2 mic tabs
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US368	YELLOW	SMALL - 6XL



HI-VIS CONTRAST TRAFFIC JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic storm cuffs
- Quilted lining
- Pockets: 1 cell phone concealed under stormflap, 2 lower welt w/ flaps, 1 internal
- Stormflap with zipper and snap closure
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US466	YELLOW	SMALL - 6XL



HI-VIS LITE TRAFFIC JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Adjustable cuffs with snap closure
- Pockets: 2 large lower welt
- Stormflap with zipper and snap closure
- Waterproof with sealed seams
- Lightweight protection

MODEL NO.	COLORS	SIZES
US160	YELLOW	MED - 6XL



HI-VIS TWO-TONE BOMBER JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic waistband
- Quilted lining
- Pockets: 1 left chest radio, 2 lower front, 1 inner tablet
- 2 mic tabs
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US363	YELLOW/BLACK	SMALL - 7XL



XPress

Program

- Items will ship within 72 business hours after order is placed.
- Only products and legends listed are eligible for the X-Press Program.
- An XPress Charge will be added on to original product pricing.
- Each item has a maximum quantity that can be ordered.
- Tax and freight are additional.

36" Non-Reflective vinyl w/4 Lexan pockets: Max. Qty.-5	
ROLL-UP SIGN TYPE	Model No.
BE PREPARED TO STOP	X/36-NRFVO-4LEX-BPTS
FLAGGER symbol	X/36-NRFVO-4LEX-FS
ROAD CLOSED AHEAD	X/36-NRFVO-4LEX-RCA
SHOULDER WORK AHEAD	X/36-NRFVO-4LEX-SWA
UTILITY WORK AHEAD	X/36-NRFVO-4LEX-UWA
WORKER symbol	X/36-NRFVO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/36-NRFVO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/36-NRFVO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/36-NRFVO-4LEX-OP2-RLCA
48" Non-Reflective vinyl w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-NRFVO-4LEX-BPTS
FLAGGER symbol	X/48-NRFVO-4LEX-FS
ROAD CLOSED AHEAD	X/48-NRFVO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-NRFVO-4LEX-SWA
UTILITY WORK AHEAD	X/48-NRFVO-4LEX-UWA
WORKER symbol	X/48-NRFVO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/48-NRFVO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-NRFVO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-NRFVO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-NRFVO-4LEX-ERW
48" Marathon w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-MARO-4LEX-BPTS
FLAGGER symbol	X/48-MARO-4LEX-FS
ROAD CLOSED AHEAD	X/48-MARO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-MARO-4LEX-SWA
UTILITY WORK AHEAD	X/48-MARO-4LEX-UWA
WORKER symbol	X/48-MARO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/48-MARO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-MARO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-MARO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-MARO-4LEX-ERW
DUAL LANE REDUCTION (w/bar overlay)	X/48-MARO-4LEX-OL1DL
OVERLAYS	
21" X 8" LEFT overlay	X-OL/48-MARO-218-LEFT
28" X 9" 500FT overlay	X-OL/48-MARO-289-500FT
28" X 9" 1000FT overlay	X-OL/48-MARO-289-1000FT
28" X 9" 1500FT overlay	X-OL/48-MARO-289-1500FT

36" Super Bright vinyl w/4 Lexan pockets: Max. Qty.-5	
ROLL-UP SIGN TYPE	Model No.
BE PREPARED TO STOP	X/36-SBO-4LEX-BPTS
FLAGGER symbol	X/36-SBO-4LEX-FS
ROAD CLOSED AHEAD	X/36-SBO-4LEX-RCA
SHOULDER WORK AHEAD	X/36-SBO-4LEX-SWA
UTILITY WORK AHEAD	X/36-SBO-4LEX-UWA
WORKER symbol	X/36-SBO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/36-SBO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/36-SBO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/36-SBO-4LEX-OP2-RLCA
DUAL LANE REDUCTION (w/bar overlay)	X/36-SBO-4LEX-OL1DL
Overlays	
16" X 7" left overlay	X/OL/36-SBO-167-LEFT
19" X 7" 500ft overlay	X/OL/36-SBO-197-500FT
19" X 7" 1000ft overlay	X/OL/36-SBO-197-1000FT
19" X 7" 1500ft overlay	X/OL/36-SBO-197-1500FT
48" Super Bright w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-SBO-4LEX-BPTS
FLAGGER symbol	X/48-SBO-4LEX-FS
ROAD CLOSED AHEAD	X/48-SBO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-SBO-4LEX-SWA
UTILITY WORK AHEAD	X/48-SBO-4LEX-UWA
WORKER symbol	X/48-SBO-4LEX-WS
DUAL LANE REDUCTION (w/ bar overlay)	X/48-SBO-4LEX-OL1DL
ONE LANE ROAD (AHEAD)	X/48-SBO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-SBO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-SBO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-SBO-4LEX-ERW
OVERLAYS	
21" X 8" LEFT overlay	X-OL/48-SBO-218-LEFT
28" X 9" 500FT overlay	X-OL/48-SBO-289-500FT
28" X 9" 1000FT overlay	X-OL/48-SBO-289-1000FT
28" X 9" 1500FT overlay	X-OL/48-SBO-289-1500FT

XPress charge + 8%

If you have any questions please call Customer Service at 1-800-872-7446 or email xpress@signssafety.com

Rigid Sign: Max. Qty. –50	
RIGID-SIGN TYPE	Model No.
YIELD symbol , 30X30, .080 Aluminum, High intensity white	AL-30TRI-HI-R1-2
DO NOT ENTER , 30X30, .080 Aluminum, High intensity white	AL-30-HIW-R5-1
HANDICAP RESERVED PARKING , 12X18, .080 Aluminum, High intensity white	HNDCPX080-HIW-R7-8
HANDICAP RESERVED PARKING , 12X18, .063 Aluminum, Engineer grade white	HNDCPX063-EGW-R7-8
HANDICAP RESERVED PARKING , 12X18, .063 Aluminum, Engineer grade white	HNDCPX063-HIW-R7-8
NO PARKING NO ARROW , 12X18, .080 Aluminum, High intensity white	AL-1218080-HIW-R8-3A
NO PARKING ANYTIME NO ARROW , 12X18, .080 Aluminum, High intensity white	NPX080-HIW-R7-1
VAN ACCESSIBLE , 12X6, .063 Aluminum, High intensity white	AL-126063-IV-HIW-R7-8P
VAN ACCESSIBLE , 12X6, .080 Aluminum, High intensity white	AL-126080-IV-HIW-R7-8P
SIDEWALK CLOSED , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-R9-9
Sidewalk closed cross here left arrow , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-L-R9-11A

Rigid Sign: Max. Qty. –50	
RIGID-SIGN TYPE	Model No.
SIDEWALK CLOSED CROSS HERE RIGHT ARROW , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-R-R9-11A
DETOUR WITH LEFT ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9L
DETOUR WITH RIGHT ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9R
DETOUR WITH VERTICAL ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9V
END DETOUR , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-8A
18" STOP , .080 Aluminum, high intensity*	18OCTX080-HI/AL-R1-1
24" STOP , .080 Aluminum, high intensity	24OCTX080-HI/AL-R1-1
30" STOP , .080 Aluminum, high intensity	30OCTX080-HI/AL-R1-1
36" STOP , .080 Aluminum, high intensity	36OCTX080-HI/AL-R1-1
48" Stop , .080 Aluminum, high intensity	48OCTX080-HI/AL-R1-1

* Does not meet MUTCD requirements

XPress charge + 8%

Sign Stands: Max. Qty. –100	
SIGN STAND TYPE	Model No.
XFactor Compact	C-101-S-KLSH
XFactor Compact	C-202-S-KLSH
XFactor Compact	C-301-S-KLSH
XFactor Compact	C-601-S-KLSH
XFactor Compact	C-801-L-KLSH
XFactor Compact	C-902-L-KLSH
XFactor Mid-Size	X-551-KL
XFactor Mid-Size	X-552-KL
XFactor Mid-Size	X-553-KL
XFactor Full-Size	X-601-KL
XFactor Full-Size	X-602-KL
XFactor Full-Size	X-603-KL
XFactor Full-Size	X-842-DD
XFactor Econo	PGS
XFactor Tri-Factor	E-55
XFactor Tri-Factor	E-352
XFactor Tri-Factor	E-353

STOP/SLOW Flagger Helpers: Max. Qty. –50	
STOP/SLOW SIGN TYPE	Model No.
18" STOP/SLOW Engineer Grade STOP/Engineer Grade SLOW	FLH1872-EG
18" STOP/SLOW High Intensity STOP/High Intensity SLOW	FLH1872-HI
18" STOP/SLOW High Intensity STOP/Diamond Grade SLOW	FLH1872-HI/DG
18" STOP/SLOW Diamond Grade STOP/Diamond Grade SLOW	FLH1872-DG
24" STOP/SLOW Engineer Grade STOP/Engineer Grade SLOW	FLH2472-EG
24" STOP/SLOW High Intensity STOP/High Intensity SLOW	FLH2472-HI
24" STOP/SLOW High Intensity STOP/Diamond Grade SLOW	FLH2472-HI/DG
24" STOP/SLOW Diamond Grade STOP/ Diamond Grade SLOW	FLH2472-DG

Includes 12" handle with a 60" staff. (72" staff also available)

XPress charge + 5%

**NEED IT FAST?
ORDER NOW!**





Manufactured in the USA since 1947



EASTERN METAL SIGNS & SAFETY

1430 Sullivan Street
Elmira, NY 14901
p: 1-800-872-7446
607-734-2295
607-562-8463
f: 607-734-8783

HIAWASSEE

320 Big Sky Drive
Hiawassee, GA 30546

SAVANNAH

9 Telfair Place
Savannah, GA 31415

DALLAS

13650 Floyd Circle
Dallas, TX 75243

customerservice@usa-sign.com
www.easternmetalsignsandsafety.com



©2020 Eastern Metal Signs & Safety
All Rights Reserved • Catalog Edition 6.0

