

TRAFFIC SAFETY PRODUCTS MANUFACTURING & DISTRIBUTION



Traffic Control
Construction Work Zone
Architectural Signage
OSHA & Hazard Signs
Natural Gas Field Safety
Utility and Telephone
Incident Management
School Zone Safety



Fast Shipping
Full Turn-key Work Zones
Knowledgeable Staff
Multiple USA Locations
Rugged Construction
Exacting Standards
Outstanding Customer Service



Sign Stands
Rigid & Roll Up Signs
LED Stop Slow Paddles
Traffic Control Supplies
Reflective Materials
Barricades, Cones,
Delineators Drums
Channelizers



TABLE OF CONTENTS

03 | INTRODUCTION

04 | SIGN STANDS

- Options
- Compact Apex Series
- Mid-Size Apex Series
- Full-Size Apex Series

10 |

- Tri-Factor Econo PGS
- UB-8400 Rubber Base
- 072-Quick Base
- Truck Mount Storage Bracket

12 |

- Guard Rail Clamp
- TBB-01 Vehicle Hitch Mount
- Median Barrier Clamp
- Flag Tree Stand

13 | ROLL-UP SIGNS

- Incident Management Roll-Up Signs
- Mesh
- Non-reflective
- Reflective 36" and 48"
- Incident Management EZ Set System

18 | RIGID SIGNS

- Reflective Sheeting
 - Guide & Parking
 - Regulatory
 - School Zone Safety
 - Temporary Traffic Control
 - Warning
 - Reflective Sheeting
 - Information & OSHA/Hazard/Safety

20 | STOP/SLOW PADDLES

- Visual Alert LED
- Visual Alert Accessories
- Flagger Helper Paddles
- ABS Paddles
- Aluminum Paddles
- Wooden Handle Stop/Slow
- Stop/Slow Scroll
- Accessories

22 | BARRICADES

- BG-2200 Series
- BP-2100 Series
- BR-3000 Series
- BC-3000 Series
- Striping Image

23 | CONES

- TC1 Series Cones
- TC2 Series Cones
- Cone Bars
- Cone Top Signs

24 | DRUMS

- 9100 Series Drums
- Ring Top Delineators
- Vertical Panels

25 | BARRICADE LIGHTS

- 300 Series
- 400 Series
- 800 Series
- 900 Series

26 | BARRICADES

- Type III
- Type II
- Type I
- A-Frame

27 | MISCELLANEOUS ITEMS

- Warning Flags
- Transporter Kits
- Fire Hydrant Marker
- Commercial Vehicle Guides
- Slow Moving Vehicle Emblem
- Emergency Triangle
- Oversize Load Signs
- E-Flares
- Message Boards
- VP Pedestrian Units
- Marker Flags
- Line Markers
- Bullet Markers
- Bollard Covers
- Delineators
- Barricade Tapes
- Manhole Guard
- Stencils

32 | STREET NAME HARDWARE & POSTS


33 | SIGN BLANKS

- Aluminum Blanks
- Blank Screen Printing Screens

34 | CLOTHING

- High Visibility Clothing

36 | XPRESS PROGRAM



We put work zone safety in the work zone. We manufacture our Sign Stands, Rigid & Roll-Up Signs, and Stop/Slow paddles right here in the US, and have been since 1947.

Our first temporary sign stand was **invented and produced in the 1950s**. We continually improve and perfect the designs to meet today's needs. Machined from high-grade aluminum or steel and assembled by hand, there is no question that these stands support our core value of safety built into every unit we produce.

Look for our signature **orange springs** on sign stands wherever you see road construction or utility work zones. They signify top-quality products that have been Made in the USA for over 70 years. If you don't see them, ask for them.

We also provide cones, drums, barricades, safety apparel, and much more to complete all of your safety equipment needs.

ACCELERATE
Your Orders!

WITH OUR XPRESS PROGRAM, PRODUCTS CAN SHIP IN 72 HOURS OR LESS.

- Items will ship within 72 business hours after order is placed.
- Specific products and quantities apply.
- An XPress Charge will be added on to original product pricing.
- Each item has a maximum quantity you can order.
- Tax and freight is additional.

SEE PAGE 36
FOR MORE DETAILS!



CONTACT US

customerservice@usa-sign.com

800-872-SIGN (7446)

WWW.EASTERNMETALSIGNSANDSAFETY.COM



EASTERN METAL SIGNS AND SAFETY

SIGN STANDS

MANUFACTURING SIGN STANDS

Our line of Sign Stands are the perfect solution for your temporary Roll-Up and Rigid signage. From Compact to Full-Size units, we outperform and outlast the competition while also being MASH compliant and meeting MUTCD standards.

OPTIONS TO FIT YOUR WORK ZONE

Outfitted with various wind-deflectable options (Dual Coil Spring and Leaf Spring to name a few) and sign-attachment systems (Latch-Style, Spin-Handle), we have an option to fit every job. Just look for the **orange springs** to know you're getting a high-quality product that's Made in America.



APEX Series Sign Stands deploy quickly and easily. Our multi-position leg system allows for flexibility even on the most uneven terrain. With additional attention to detail, all of our stands feature anti-skid foot pads giving you that extra peace of mind on-site.

The Eastern Metal Stands have several leg-release systems to best fit your team's needs (Kick-Lever, Direct-Drive, T-Pin). All of these are intuitive and easy-to-use.

Not only have we designed these stands for safety, but also considered you when the job is finished. They fold into an ergonomic, space-saving size for ease of transport because we understand that you take these into the field.



OVER
75 YEARS
OF SERVICE



- Meet MUTCD specifications
- Are MASH compliant
- Are made of high-grade aluminum or steel
- Have anti-skid footpads
- Come with a wide variety of leg systems
- Have 2 or 3-piece, telescoping leg system
- Are Proudly American Made

OVER 100K SQUARE FEET OF
MANUFACTURING, WAREHOUSING
AND DISTRIBUTION SPACE.

WE PROUDLY MANUFACTURE ALL OF OUR
SIGN STANDS IN ELMIRA, NEW YORK
WHERE THEY HAVE BEEN PRODUCED
FOR OVER 70 YEARS.

INDUSTRY
LEADERS



Eastern Metal Signs & Safety are an industry leader in supplying MUTCD approved work zoned devices.

To meet your needs, we will continue to offer NCHRP-350 and MASH compliant devices.

Contact our Customer Service representatives with any questions on the requirements in your state.

SIGN STANDS

OPTIONS

LEG AND HALF-MAST MATERIALS

GALVANIZED STEEL
SHORT AND EXTENDED LEG LENGTHS

WIND-DEFLECTION SYSTEMS

LEAF-SPRING
COIL-SPRING

BASES

STANDARD BASE
HEAVY DUTY, LARGER BASE
SHORT AND EXTENDED LEG LENGTHS

LEG-RELEASE



KICK-LEVER



T-PIN*



DIRECT-DRIVE*

WIND DEFLECTION



COIL-SPRING



LEAF-SPRING



NO DEFLECTION

SIGN ATTACHMENTS



**SPIN
HANDLE**



**RIGID
BRACKETS**



**QUICK
RELEASE**



**X-CONNECT
LATCH**





**RIGID/
ROLL-UP**

SIGN HOLDER TYPES

ROLL-UP HOLDER

RIGID HOLDER



800-872-SIGN (7446) • www.easternmetalsignsandsafety.com

APEX SERIES

SIGN STANDS



- RIGID MAST
- STEEL OR GALVANIZED
- ADJUSTABLE LEG LENGTH
- DIRECT DRIVE BASE
- SPIN HANDLE
- UNDER 24LBS



APEX COMPACT

- Apex stands are rugged and reliable, deploy quickly, fold small, and are economical.
- Apex legs offer maximum resistance to rust and corrosion.
- The 2-position, 2-piece telescoping legs adjust for maximum stability on uneven terrain and road shoulders. Leg lengths options available see chart below.
- Apex Series Stands come standard with direct drive and kick lever are available upon request.
- Roll-Up Signs attach to the Apex Series Stands with a Spin-Handle, or Latch Bracket available upon request.
- Apex Series is Mash Compliant with roll-ups.

MODEL	COMPARABLE W/ PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL	LEG LENGTH *1	HEIGHT ABOVE ROAD W/ 48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (W/OUT SIGN OR FLAGS)	OPEN SIZE W" X L" X H"	STORAGE SIZE W" X L" X H"
APEX	C-101 / 102	NA	GALV. STEEL	SHORT	13"	DIRECT DRIVE	NA	SPIN HANDLE	20 LBS.	41 X 68 X 79	9 X 9 X 24
APEX-LT	C-101 / 102	NA	GAL. STEEL	SHORT	13"	DIRECT DRIVE	NA	LATCH-STYLE	20 LBS.	41 X 68 X 79	9 X 9 X 24
APEX-ALS	C-601	NA	ALUMINUM	SHORT	13"	DIRECT DRIVE	NA	SPIN HANDLE	16 LBS.	41 X 68 X 79	9 X 9 X 24
APEX-ALS-LT	C-601	NA	ALUMINUM	SHORT	13"	DIRECT DRIVE	NA	LATCH-STYLE	16 LBS.	41 X 68 X 79	9 X 9 X 24
APEX-AL-LT	C-601	NA	ALUMINUM	LONG	16.5"	DIRECT DRIVE	NA	LATCH-STYLE	19.25LBS.	41 X 68 X 79	9 X 9 X 24
APEX-AL-L	C-601	NA	ALUMINUM	LONG	16.5"	DIRECT DRIVE	NA	SPIN HANDLE	19.25 LBS.	41 X 68 X 79	9 X 9 X 24



- LEAF SPRING WIND DEFLECTION
- STEEL OR GALVANIZED
- ADJUSTABLE LEG LENGTH
- DIRECT DRIVE BASE
- SPIN HANDLE
- UNDER 24LBS



APEX FLEX

- Adjustable fiberglass leaf-spring provides optimal wind-deflection in all conditions and will not fatigue or break during normal use.
- Galvanized aluminum legs offer maximum resistance to rust and corrosion. The 3-position, 2-piece telescoping legs adjust for maximum stability on uneven terrain and road shoulders.
- Legs available in Short (38" extended) -or- Long (50" extended).
- Apex Flex Stands these come standard with direct drive, kick lever is available upon request.
- Roll-Up Signs attach to the Apex Flex Series Stands with a Spin-Handle which are standard to the unit. Latch brackets are also available by request.
- Apex Flex Series Stands are Mash 2016 compliant and accepted for use with All Roll-Up Signs.

MODEL	COMPARABLE WITH PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL (STAND LEGS & FULL-MAST)	LEG LENGTH *1	HEIGHT ABOVE ROAD W/ 48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W" X L" X H"	STORAGE SIZE W" X L" X H"
APEX FLEX	C-202	LEAF-SPRING	GALV. STEEL	SHORT	23"	DIRECT DRIVE	NA	SPIN-HANDLE	20 LBS.	43 X 68 X 89	8 X 9 X 24
APEX FLEX AL	C-902	LEAF-SPRING	ALUMINUM	LONG	23"	DIRECT DRIVE	NA	SPIN-HANDLE	20 LBS.	43 X 68 X 89	8 X 9 X 24



- COIL WIND DEFLECTION
- ALUMINUM OR GALVANIZED
- ADJUSTABLE LEG LENGTH
- DIRECT DRIVE BASE
- SPIN HANDLE
- UNDER 24LBS



APEX RECOIL

- APEX Recoil Stands available with a standard base and Coil-Flex Single Spring which provides wind-deflection and lateral stability in all conditions.
- The 3-position, 2-piece telescoping legs adjust for maximum stability on uneven terrain and road shoulders. Legs available in Short (38" extended) -or- Long (50" extended).
- Roll-Up Signs attach to the Stands with universal Spin-Handle™
- Apex Recoil Series Stands are MASH 2016 Accepted for use with all Roll-Up Signs.

MODEL	COMPARABLE WITH PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL (STAND LEGS & FULL-MAST)	LEG LENGTH	HEIGHT ABOVE ROAD W/ 48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W" X L" X H"	STORAGE SIZE W" X L" X H"
RECOIL	C-801	COIL-FLEX	ALUMINUM	LONG	14"	DIRECT DRIVE	NA	SPIN-HANDLE	22 LBS.	53 X 89 X 80	8 X 9 X 24
RECOIL-LT	C-801	COIL-FLEX	ALUMINUM	LONG	14"	DIRECT DRIVE	NA	LATCH BRACKET	22 LBS.	53 X 89 X 80	8 X 9 X 24
RECOIL-ST	C-301	COIL-FLEX	GALV. STEEL	SHORT	14"	DIRECT DRIVE	NA	SPIN-HANDLE	22 LBS.	53 X 89 X 80	8 X 9 X 24
RECOIL-STLT	C-301	COIL-FLEX	GALV. STEEL	SHORT	14"	DIRECT DRIVE	NA	LATCH BRACKET	22 LBS.	53 X 89 X 80	8 X 9 X 24



- DUAL COIL WIND DEFLECTION
- STEEL BODY CONSTRUCTION
- LONG LEG LENGTH
- DIRECT DRIVE BASE
- ROLL UP / RIGID SIGNS
- 41LBS



APEX DUAL RECOIL

Dual Vertical steel coil-springs provide optimal wind-deflection and superior lateral stability. Three Sign-Holder options for Rigid and/or Roll-Up Signs offer maximum versatility.

Standard Direct-Drive leg release system available with kick lever. Legs and mast are corrosion-resistant steel.

Telescoping full-mast displays Rigid Signs 18" mast approved at 18 inches above grade (Roll-Ups 14" - 60" above grade).

3 position legs adjust for maximum stability on uneven terrain/shoulders or optimal height. Dual Recoil Series displays ANY size or shape rigid (hard) sign, or Roll-Up Sign.

Dual Recoil Series Features Break-A-Way Safety-Mast

MASH Tested Approved Substrates: Aluminum, Roll-ups, Aluminum Composite Material.

Comes standard with 3 flag holder.

MODEL	COMPARABLE WITH PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL (STAND LEGS & FULL-MAST)	LEG LENGTH	HEIGHT ABOVE ROAD W/48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W"X L"X H"	STORAGE SIZE W"X L"X H"
DUAL RECOIL -RU	X-551	DUAL COIL	GALV. STEEL	LONG	60"	DIRECT DRIVE	1 ROLL-UP	NA	39LBS.	34X84X84	12 X 8 X 63
DUAL RECOIL-RG	X-552	DUAL COIL	GALV. STEEL	LONG	18"	DIRECT DRIVE	2 RIGID	NA	41 LBS.	34X84X84	12 X 8 X 63
DUAL RECOIL-RU-RG	X-553	DUAL COIL	GALV. STEEL	LONG	18"-60"	DIRECT DRIVE	2 RIGID/1 ROLL-UP	NA	41.5 LBS.	34X84X84	12 X 8 X 63



- DUAL COIL WIND DEFLECTION
- ALUMINUM CONSTRUCTION
- X-LARGE LEG LENGTH
- DIRECT DRIVE BASE
- ROLL UP / RIGID SIGNS
- UNDER 45LBS



APEX DUAL RECOIL MAX

Dual vertical steel coil-springs provide optimal wind-deflection and superior lateral stability.

Three sign-holder options for rigid and/or roll-up signs offer maximum versatility.

Standard direct-drive leg release system, available with kick lever upon request.

Legs and mast are corrosion-resistant aluminum.

Telescoping full-mast displays rigid signs 14" - 60" above grade (roll-ups 14" - 84" above grade)

Three position legs adjust for maximum stability on uneven terrain/shoulders for optimal height.

Dual recoil max series displays any size or shape rigid (hard) sign, or roll-up sign.

Dual recoil max series features break-a-way safety-mast. MASH tested approved substrates: aluminum, roll-ups, aluminum composite material.

Comes standard with 3 flag holder.

MODEL	COMPARABLE WITH PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL (STAND LEGS & FULL-MAST)	LEG LENGTH	HEIGHT ABOVE ROAD W/48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W"X L"X H"	STORAGE SIZE W"X L"X H"
DUAL RECOIL MAX-RU	X-601	COIL-SPRINGS	ALUMINUM	X-LARGE	84"	DIRECT DRIVE	ROLL-UP	NA	42 LBS.	40X80X129	12 X 8 X 85
DUAL RECOIL MAX-RG	X-602	COIL-SPRINGS	ALUMINUM	X-LARGE	60"	DIRECT DRIVE	RIGID	NA	44 LBS.	40X80X129	12 X 8 X 85
DUAL RECOIL MAX-RU/RG	X-603	COIL-SPRINGS	ALUMINUM	X-LARGE	60" - 84"	DIRECT DRIVE	2 RIGID/1 ROLL-UP	NA	45 LBS.	40X80X129	12 X 8 X 85



- DUAL LEAF SPRING
- ALUMINUM CONSTRUCTION
- X-LARGE LEG LENGTH
- DIRECT DRIVE BASE
- RIGID AND ROLL-UP SIGNS
- UNDER 45LBS



APEX SUMMIT

Apex summit is designed to display rigid signs 14" - 7' above grade, roll-ups 14" - 10' above grade.

Dual fiberglass leaf-springs provide industry-best lateral stability and wind-deflection.

Aluminum (.100" wall) legs and telescoping half-mast offer maximum resistance to rust and corrosion and are light weight.

The 2 position base offers stability on uneven terrain and road shoulders.

Standard with direct-drive leg release system, for rigid/roll-up signs.

Comes standard with 3-flag holder.

Mash 2016 tested approved for these substrates: aluminum, roll-ups, aluminum composite material.

MODEL	COMPARABLE WITH PREVIOUS MODEL	WIND DEFLECTION SYSTEM	MATERIAL STAND LEGS AND MAST	LEG LENGTH	HEIGHT ABOVE ROAD W/48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W"X L"X H"	STORAGE SIZE W"X L"X H"
SUMMIT-RU	X-841	DUAL LEAF SPRINGS	ALUMINUM	X-LARGE	14"-120"	DIRECT-DRIVE	ROLL-UP	NA	41 LBS.	48 X 149 X 150	10 X 11 X 81
SUMMIT-RG	X-842	DUAL LEAF SPRINGS	ALUMINUM	X-LARGE	14"-84"	DIRECT-DRIVE	RIGID	NA	44 LBS.	48 X 149 X 150	10 X 11 X 81
SUMMIT-RU/RG	X-843	DUAL LEAF SPRINGS	ALUMINUM	X-LARGE	14"-72" RIGID AND 14" TO 120 ROLL-UP	DIRECT-DRIVE	ROLL UP & RIGID	NA	45 LBS.	48 X 149 X 150	10 X 11 X 81

APEX SERIES

SIGN STANDS

MODEL MASH	DESCRIPTION NCHRP 350	Wind Deflection	Leg Material	LEG LENGTH Short - 38" extended/ 25" unextended Long - 50" extended/ 30" unextended	Leg Release System	Sign Attachment
APEX	Compact Stand - 101	None	Galvanized Steel	Short	Direct Drive	Spin Handle
APEX LT	Compact C-Stand - 101	None	Galvanized Steel	Short	Direct Drive	Latch-Style
APEX AL-S	Compact C-Stand - 601	None	Aluminum	Short	Direct Drive	Spin Handle
APEX-AL-L	Compact C-Stand - 601	None	Aluminum	Long	Direct Drive	Spin Handle
APEX- AL-S-LT	Compact C-Stand - 601	None	Aluminum	Short	Direct Drive	Latch-Style
APEX-AL-L-LT	Compact C-Stand - 601	None	Aluminum	Long	Direct Drive	Latch-Style
APEX FLEX	Compact C-Stand - 200	Leaf Spring	Galvanized Steel	Short	Direct Drive	Spin Handle
APEX-FLEX-AL	Compact C-Stand - 902	Leaf Spring	Aluminum	Long	Direct Drive	Spin Handle
APEX RECOI-ST	Compact C-Stand - 301	Coil Spring	Galvanized Steel	Short	Direct Drive	Spin Handle
APEX RECOIL-ST-LT	Compact C-Stand - 301	Coil Spring	Galvanized Steel	Short	Direct Drive	Latch-Style
APEX-RECOIL	Compact C-Stand - 801	Coil Spring	Aluminum	Long	Direct Drive	Spin Handle
APEX RECOIL AL LT	Compact C-Stand - 801	Coil Spring	Aluminum	Long	Direct Drive	Latch-Style
APEXDUALRECOIL-RU	Mid-Size 550 Series - 551	Dual Coil Spring	Galvanized Steel	Long	Direct Drive	Roll-Up
APEXDUALRECOILRG	Mid-Size 550 Series - 552	Dual Coil Spring	Galvanized Steel	Long	Direct Drive	Rigid
APEXDUALRECOIL-RU-RG	Mid-Size 550 Series - 553	Dual Coil Spring	Galvanized Steel	Long	Direct Drive	Roll-Up & Rigid
APEXDUALRECOIL-AL-RU	Mid-Size 500 Series - 501	Dual Coil Spring	Aluminum	Long	Direct Drive	Roll-Up
APEXDUALRECOIL-AL-RG	Mid-Size 500 Series - 502	Dual Coil Spring	Aluminum	Long	Direct Drive	Rigid
APEXDUALRECOIL-AL-RU	Mid-Size 500 Series - 503	Dual Coil Spring	Aluminum	Long	Direct Drive	Roll-Up & Rigid
APEXDUALRECOILMAX-RU	Full-Size 600 Series - 601	Dual Coil Spring	Aluminum	XLarge	Direct Drive	Roll-Up
APEXDUALRECOIL-RG	Full-Size 600 Series - 602	Dual Coil Spring	Aluminum	XLarge	Direct Drive	Rigid
APEXDUALRECOILRU-RG	Full-Size 600 Series - 603	Dual Coil Spring	Aluminum	XLarge	Direct Drive	Roll-Up & Rigid
APEXSUMMIT-RU	Full-Size 840 Series - 841	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Roll-Up
APEXSUMMIT-RG	Full-Size 840 Series - 842	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Rigid
APEXSUMMIT-RU-RG	Full-Size 840 Series - 843	Dual Leaf Spring	Aluminum	XLarge	Direct Drive	Roll-Up & Rigid
APEX TRI	E352	None	Galvanized Steel	N/A	N/A	Rigid
APEX TRI - RU/RG	353	None	Galvanized Steel	N/A	N/A	Roll-Up & Rigid
APEX TRI-ECO	t-55	None	Powder Coated Steel	N/A	N/A	Rigid
PGS	Econo Stand - Pogo	None	Galvanized Steel	N/A	N/A	Roll-Up

SIGN TYPES			STAND SPECIFICATIONS				
Roll-Up Only	Rigid Only	Rigid & Roll-Up	Weight (lbs)	Storage Size W"x L"x H"	Open Size W"x L"x H"	Height Above Ground (w/48" sign)	
•			20	9 x 9 x 24	41 x 68 x 79	13"	
•			20	9 x 9 x 24	41 x 68 x 79	13"	
•			16	9 x 9 x 24	41 x 68 x 79	13"	
•			19.25	9 x 9 x 24	41 x 68 x 79	16.5"	
•			16	9 x 9 x 24	41 x 68 x 79	13"	
•			19.25	9 x 9 x 24	41 x 68 x 79	16.5"	
•			20	8 x 9 x 24	43 x 68 x 89	23"	
•			20	8 x 9 x 24	43 x 68 x 89	23"	
•			22	8 x 9 x 24	53 x 89 x 80	14"	
•			22	8 x 9 x 24	53 x 89 x 80	14"	
•			22	8 x 9 x 24	53 x 89 x 80	14"	
•			22	8 x 9 x 24	53 x 89 x 80	14"	
•			39	12 x 8 x 63	34 x 84 x 84	60"	
	•		41	12 x 8 x 63	34 x 84 x 84	18"	
		•	41.5	12 x 8 x 63	34 x 84 x 84	18" - 60"	
•				7.5 x 10 x 66.5	39 x 83 x 136	60"	
	•		40	7.5 x 10 x 66.5	39 x 83 x 136	12"	
		•	41	7.5 x 10 x 66.5	39 x 83 x 136	12" - 60"	
•			42	12 x 8 x 85	40 x 80 x 129	84"	
	•		4	12 x 8 x 85	40 x 80 x 129	60"	
		•	8	12 x 8 x 85	40 x 80 x 129	60-84"	
•			41	11 x 11 x 81	48 x 149 x 150	120	
	•		44	11 x 11 x 81	48 x 149 x 150	84"	
		•	45	11 x 11 x 81	48 x 149 x 150	84"-120"	
	•		17	4 x 5 x 55.5	49 x 30 x 76	14	
		•	18	4 x 5 x 55.5	49 x 30 x 76	14	
	•		21	4.5 x 2 x 62	57 x 48 x 45		
•			7	12 x 2.5 x 56			

BASIC STANDS

SIGN STANDS



TRI-POD

Simple, durable tri-pod design, economical price, and ease-of-use provide outstanding value.

Heavy duty steel tube construction ensures durability and long term performance.

Steel legs and telescoping mast are galvanized for maximum resistance to rust and corrosion.


Apex tripod includes two rigid sign holders with an optional roll-up holder.

Apex tripod is MASH 2016 compliant for approved for these substrates:

- ABS plastic (to 1/4")
- Plywood (to 5/8"),
- Aluminum (to .125")
- Corrugated Plastics



MODEL	COMPARABLE WITH PREVIOUS MODEL	BALLAST HOOK (BACK-LEG)	MATERIAL STAND LEGS AND MAST	LEGS	HEIGHT ABOVE ROAD W/48" SIGN	LEG-RELEASE SYSTEM (BUILT-IN)	SIGN HOLDERS	SIGN ATTACHMENT	WEIGHT (WITHOUT SIGN OR FLAGS)	OPEN SIZE W" X L" X H"	STORAGE SIZE W" X L" X H"
APEX-TRI	E-352	INCLUDED	GALV. STEEL	FIXED	14"	FOLDING	RIGID HOLDERS	NA	17.8 LBS.	49 X 30 X 76	4 X 5 X 55.5
APEX-TRI-RU	E-353	INCLUDED	GALV. STEEL	FIXED	14"	FOLDING	ROLL-UP & RIGID	NA	18 LBS.	49 X 30 X 76	4 X 5 X 55.5



MODEL NO.
PGS

POGO ECONOMY SIGN HOLDER



MODEL NO.
E-55

TRIPOD STAND E-55

BASES



MODEL NO.
072-QUICKBASE-R

ECONO FLASHER STAND



MODEL NO.
ZEPHYR-BASE

ZEPHYR RUBBER BASE



MODEL NO.
DSB-100

DSB-100 RUBBER BASE



MODEL NO.
UB-8432-BASE

UB-8400 RUBBER BASE

Sign Stand
PURCHASING CONSIDERATIONS



What size sign do you need?



36"

48"

Custom/Other

Leg Release

Kick Lever

T-Pin

Direct Drive



Wind
Deflection

YES

NO

Coil Spring

Leaf Spring

Sign
Attachment

Spin Handle

X-Connect Latch

Rigid Bracket

Rigid and Roll-Up



WHEN IS
THE SIGN
BEING USED?

Nighttime

Daytime

Both

Non-Reflective

Reflective

Super Bright

Marathon

Diamond

Mesh

Vinyl

MEDIAN BARRIER SIGN MOUNT




Dual vertical steel coil-springs provide superior wind-deflection for stability and added visibility. Displays roll-up and/or rigid signs.

Available with

2 rigid brackets, 1 roll-up bracket or 2 rigid and 1 roll-up bracket.

MODEL NO.	CLAMP GRIP RANGE	WEIGHT
MBC-8-553	3"-8"	30 LBS.
MBC-8-603	3"-8"	32 LBS.
MBC-12-553	5"-12"	35 LBS.
MBC-15-553	8"-15"	37 LBS.
MBC-12-603	5"-12"	41 LBS.
MBC-15-603	8"-15"	43 LBS.



TRUCK MOUNT STORAGE BRACKET

Transport your sign stands securely in your vehicle with the Eastern Metal Sign Stand Storage Bracket fits all compact and mid-size sign stands. Easy to install, inside or outside of truck, for quick and convenient storage.

MODEL NO.	SIGN STAND SIZE
TMB-C	COMPACT



GUARD RAIL SIGN MOUNT

Guard Rail Clamp Bracket is heavy-duty steel GRC-3 fits on 3" H-beam style Guard Rail GRC-5 fits on 5" H-Beam Guard Rail. 1/2" T-Handle holds Guard-Rail Clamp securely in place.

MODEL NO.	WEIGHT
GRC-3-202-SH-M&LS	32 LBS.
GRC-5-880-M&LS	40 LBS.



VEHICLE HITCH MOUNT SIGN HOLDER

Transform any standard vehicle hitch into a Roll-Up sign holder. This sign holder fits into a 2" square hitch receiver. Attach a 36"x 36" or 48"x 48" Standard Roll-Up sign or C-Sign to the aluminum mast with a roll-up bracket, jaw clamp or quick-attachment.

THIS SYSTEM IS INTENDED FOR SLOW-MOVING OR STOPPED VEHICLES ONLY. WE RECOMMEND THAT SIGNS BE REMOVED FOR SPEEDS ABOVE 30 MPH.

MODEL NO.	DIMENSIONS	WEIGHT
TBB-01	38.25" H X 12" D X 2" W	8 LBS.




FLAG TREE STAND

Storage Bracket fits all compact and mid-size sign stands. Easy to install, inside or outside of truck, for quick and convenient storage.

Made of galvanized steel, the fixed non-flexible mast holds up to 5 flags (sold separately). It features a 2-position, T-pin leg release system.

MODEL NO.	DIMENSIONS
F-100-5FH	EXTENDED: 21.5" W X 77" D X 90" H
F-100-3FH	FOLDED: 9" W X 9.5" D X 52" H



EASTERN METAL SIGNS AND SAFETY



REFLECTIVE ROLL UP SIGNS
SUPER BRITE, MARATHON, DIAMOND GRADE
NON-REFLECTIVE ROLL-UPS ALSO AVAILABLE.



WWW.EASTERNMETALSIGNSANDSAFETY.COM

ROLL-UP SIGNS

Eastern Metal Signs & Safety's Roll-Up signs are professionally screen or digitally printed, on various retro-reflective and non-reflective materials to ensure maximum visibility in all conditions and uses (road work, telecommunications, utilities, landscapers, etc).

OUR ROLL-UP SIGNS OFFER:

- A full range of sizes and materials available
- Meet MUTCD requirements
- A full range of standard legends, plus custom legends upon request
- Are made of high-quality retro-reflective and non-reflective materials
- Various pocket choices specific to your project
- Proudly constructed in America



ACCORDING TO MUTCD, SECTION 6F.04, "SIGNS SHOULD BE PROPERLY MAINTAINED FOR

CLEANLINESS, VISIBILITY, AND CORRECT POSITIONING. SIGNS THAT HAVE LOST SIGNIFICANT LEGIBILITY SHOULD BE PROMPTLY REPLACED."

Our signs are constructed with two orange fiberglass battens (ribs) that crisscross the back and provide stability for the sign itself. Battens can then be secured in a variety of different ways.

We feature four Lexan pocket options, as well as half Lexan pockets, Lock-Pocket and sewn pocket options. They can be used with a variety of stands that we also manufacture.


ALWAYS CHECK WITH LOCAL OR STATE AGENCIES TO ENSURE ACCURATE REFLECTIVITY, COLOR, AND SIZE SPECIFICATIONS ARE MET.



ROLL UP MATERIAL OPTIONS AND REFLECTIVITY

ROLL-UPS COME IN A VARIETY OF MATERIALS THAT VARY IN REFLECTIVITY. FROM NON-REFLECTIVE TO SUPER REFLECTIVE.

REFLECTIVE



ROLL-UP SIGN MATERIAL



DIAMOND GRADE

A fluorescent, wide-angle prismatic lens reflective sheeting designed for the production of roll-up traffic control signs used in construction work zones.

- Diamond Grade™ optics provide superior brightness and angularity
- Portable for use in temporary work zones, utility work areas and emergency traffic situations
- Highly reflective, wide-angle, prismatic material
- Higher nighttime sign brightness than sheeting that uses glass bead lenses
- Support smooth traffic response with 24-hour conspicuity and early driver recognition



MARATHON ROLL-UPS

Marathon roll-up sign with 4 lexan pockets with anti-kiting. The Marathon fluorescence roll ups take performance to a higher level.

The longer lasting fluorescent color gives the sign a longer useful life and offers outstanding visibility, day and night.

Higher levels of photometric performance ensure superior reflectivity at night and in low light conditions.



SUPER BRIGHT ROLL-UPS

Super Bright roll-up sign with 4 lexan pockets with anti-kiting. One of our most popular products. Super Bright fluorescent prismatic sign blanks are used to create the work zone signs you see on the road.


You benefit from maximum visibility at long distances, day and night. Super Bright colors are: fluorescent orange, non-fluorescent white, yellow and the new fluorescent pink color recommended for Incident Management applications.



MESH

Mesh roll-up sign with 4 lexan pockets with anti-kiting. This Sheeting Series designed for roll up traffic control signs used in work zones and emergency traffic control.

They are intended for daytime use only. They are not intended for use during night operations or low light conditions.



NON-REFLECTIVE ROLL-UPS

NRFVO roll-up sign with 4 lexan pockets with anti-kiting. NRFVO Roll-Up Signs are constructed of a fabric reinforced UV stable vinyl.

This construction will not delaminate and provides excellent durability and fluorescence stability.

NRFVO Signs are suitable for maintenance and moving operations. They are intended for daytime use only. They are not intended for use during night operations or low light conditions.

POCKET OPTIONS

All pocket types are available on Standard Roll-Up Signs. Our signature Lock-Pockets™ slide open and closed to eliminate the need to bend or bow the battens when inserting or removing them from the pocket.



FULL-LEXAN



HALF-LEXAN



LOCK-POCKET™



K-POCKET



SEWN POCKET


ROLL-UPS

ROLL-UP & ACCESSORIES

- 1 Optional Warning Flags: 18" or 24" Fluorescent Orange Vinyl or Fluorescent Red-Orange Vinyl, with 24", 30", or 36" staff.
- 2 1" diameter clear Lexan washers used to rivet sign to vertical cross-brace, prevents sign from ripping out. Lexan washers do not rust or obstruct legend.
- 3 Vertical cross-brace riveted to back of sign.
- 4 Clear Lexan backer with 4 rivets secures pocket and does not obstruct legend.
- 5 Horizontal brace pivots to easily slide into pockets.
- 6 Riveted center or nut and bolt assembly.
- 7 Full Lexan Pocket (other pockets available)
- 8 Anti-kiting strap.



Spin Handle
attachment for
compact sign
stands.



Vertical cross-brace slides
into Spin-Handle assembly
and locks in place.



Optional, short third brace
is used to attach the sign
to a roll-up sign holder for
Mid and full size stands.



LOCK POCKET-ROLL-UP REPAIR



A standard fixture on many of our roll-ups can also be used for field repairs. Damaged Roll-ups can be put back into service quickly and on site simply by riveting a lock pocket

and washer over the damaged area. The washer also acts as a template for the replacement holes. Replacement kits are available by contacting our customer service.

ROLL-UP SIGN STORAGE CASE



MODEL NO.
SC-36-HD
SC-48-HD

Optional Roll-Up sign storage cases are heavy-duty vinyl construction. Available for all Roll-Up signs sizes, with or without sign legend printed on case.

OVERLAYS



Overlays and overlay provisions are available on all Roll-Up warning signs. Sewn Velcro strips attached to the front of the sign and the back of the

overlay can reduce inventory and increase overall value by giving your signs extra versatility. All of our overlays are available in the same reflective materials and colors as our Roll-Up signs.

JAW CLAMP



MODEL NO.
JC

Optional Universal Jaw Clamp affixes to center point of any Roll-Up Sign batten-set.

INCIDENT MANAGEMENT ROLL-UP SIGNS

Reflective fluorescent pink vinyl meets retro-reflective standards, **provides early highly visible warning to motorists and pedestrians**, while preventing infringements into an active incident management area.

Our incident management Roll-Up signs meet both Federal MUTCD, Chapter 6I and National Fire Protection Association (NFPA) Standard No. 1561 and are compatible with all APEX compact sign stands.



EZ-SET SYSTEM


EZ Set sign and stand system offers compact convenience with wrap-around storage of the sign to the stand. Available in Super Bright and Marathon materials.



MODEL NO.	DESCRIPTION
C-801-L-KLSH	EZ-Set Sign Stand (30" unextended legs)
DCF-36-SBR	36" orange
DCF-48-SBR	48" orange
DCF-36-SBC	36" coral
DCF-48-SBC	48" coral
DCF-36-MAR	36" marathon
DCF-48-MAR	48" marathon



Fluorescent Orange SBO/RVO



Fluorescent Coral Pink SBP/RVP



Fluorescent Orange MARO

Eastern Metal Signs & Safety understands Rigid Sign manufacturing. We utilize the latest multi-color digital printers, producing what you need quickly and efficiently. We print directly onto all types of substrates and sheeting to offer you endless possibilities.


From Temporary Traffic Control to Regulatory and Warning signs, it's easy to see why our customers choose us for their Rigid signage needs. We guarantee your job will be produced by people who understand quality as well as the needs of MUTCD specifications*.

We carry a full line of Rigid Traffic Control signs with the most popular legends in stock, but if you need a custom legend, please call us for pricing and availability.

* Consult your state or local government representatives to confirm specification requirements in your area..



BLANKS, PAINTED AND CUSTOM WORK AVAILABLE



SUBSTRATES	SHEETING
ALUMINUM	EG: ENGINEER GRADE REFLECTIVE
– .063" – .100"	HI: HIGH INTENSITY™ PRISMATIC REFLECTIVE
– .080" – .125"	DG: DIAMOND GRADE REFLECTIVE
ALUMINUM COMPOSITE MATERIAL – 3MM	VYL: VINYL, NON-REFLECTIVE
COROPLAST – 10MM	
WOOD – 5/8" MDO PLYWOOD	

GUIDE & PARKING • REGULATORY • SCHOOL ZONE SAFETY • TEMPORARY TRAFFIC CONTROL • WARNING



OSHA, HAZARD AND SAFETY SIGNS

AVAILABLE IN A VARIETY OF STANDARD SIZES AND COLORS. ADD A STANDARD OR CUSTOM LEGEND.



SAFETY AND VISIBILITY IN LOW LIGHT CONDITIONS IS OF VITAL IMPORTANCE

ORALITE® 5930

HIGH INTENSITY PRISMATIC
CONSTRUCTION GRADE

FOR SHORT AND MEDIUM-TERM OUTDOOR APPLICATIONS

36" X 50 YARD 48" X 50 YARD



ORALITE® 7900

WIDE OBSERVATION ANGLE PRISMATIC
FOR LONG-TERM OUTDOOR SIGNING APPLICATIONS

36" X 50 YARD 48" X 50 YARD



ORALITE® 5935

HIGH INTENSITY PRISMATIC GRADE

36" X 50 YARD 48" X 50 YARD



ORALITE® 5900

HIGH INTENSITY PRISMATIC GRADE

FOR LONG-TERM OUTDOOR APPLICATIONS

36" X 50 YARD 48" X 50 YARD



ORALITE® 5061

TRANSPARENT FILM FOR OVERLAY

LAMINATION OF ORALITE®

36" X 50 YARD

48" X 50 YARD



ALL SOLD BY THE ROLL



**WE HAVE A WIDE RANGE OF
COLORS AND SIZES**



PREMIUM PRISMATIC TYPE IX:

BLUE, GREEN, RED, ORANGE, YELLOW, WHITE



18DGR3924	18" x 50 yards DGR rolled sheeting
24DGR3924	24" x 50 yards DGR rolled sheeting
30DGR3924	30" x 50 yards DGR rolled sheeting
36DGR3924	36" x 50 yards DGR rolled sheeting
48DGR3924	48" x 50 yards DGR rolled sheeting

HIGH INTENSITY PRISMATIC TYPE IV:

RED, WHITE, BROWN, BLUE, ORANGE, YELLOW, GREEN



18HIP	18" x 50 yards HIP rolled sheeting
24HIP	24" x 50 yards HIP rolled sheeting
30HIP	30" x 50 yards HIP rolled sheeting
36HIP	36" x 50 yards HIP rolled sheeting
48HIP	48" x 50 yards HIP rolled sheeting



VISUAL-ALERT™ STOP/SLOW PADDLES



**EXCLUSIVELY MANUFACTURED
BY EASTERN METAL IN THE USA**

- Visual Alert™ out performs traditional paddles regardless of lighting or weather conditions.
- Visual-Alert™ flashing LED's provide earlier visibility than paddles without LED's.
- Available with multiple options of reflective sheeting on both sides.
- State & Local requirements determine appropriate Paddle size & paddle reflectivity level.
- Available in both 18" and 24"

- 72" and 84" support staff available. Support Staff helps limit operator fatigue.
- Operates in all weather conditions.
- All Paddles have manual On/Off buttons. 18" Paddles also turn on or off when raised or lowered.
- Will operate for over 20 hours continuously on 3 C-Cell batteries for the 18" and 4 C-Cell batteries for the 24"

LED LIGHT EMBEDDED VISUAL-ALERT



24" SIGN WEIGHT AT	4.6LBS
18" SIGN WEIGHT AT	2.6LBS
72" POLE	2.5LBS

*WITHOUT BATTERIES



VISUAL ALERT FLASHING LED STOP SLOW PADDLE

LED 18" STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
VA-WZ-1865	6.5"	NO STAFF
VA-WZ-1872	6.5"	72"
VA-WZ-1884	6.5"	84"

LED 24" STOP/SLOW PADDLE

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
VA-WZ-2465	6.5"	NO STAFF
VA-WZ-2472	6.5"	72"
VA-WZ-2484	6.5"	84"



- Flashing LED's provide an early "alert" and demands drivers' attention.
- Support-Staff minimizes operator Fatigue
- Operates in all weather: -40°F – +130°F
- Requires C-Cell batteries 18" (3 batteries) 24" (4 batteries), sold separately
- Will operate continuously for many hours.

PROTECT YOUR INVESTMENT




72" SUPPORT STAFF

SIGN-VELOPE™ STORAGE COVER

HARD STORAGE CASE WITH VELCRO CLOSURE

VISUAL-ALERT™ PADDLE ACCESSORIES

MODEL NO.	DESCRIPTION
VA-WZ-72-STAFF	72" Support Staff for VA-WZ Series Paddles
VA-WZ-84-STAFF	84" Support Staff for VA-WZ Series Paddles
VA-WZ-18-SV-COVER	18" Sign-Velope™ Storage Cover
VA-WZ-24-SV-COVER	24" Sign-Velope™ Storage Cover
VA-18-HARD_CASE	18" Hard Storage Case with Velcro Closure
VA-24-HARD_CASE	24" Hard Storage Case with Velcro Closure



SNAP-BUTTON ATTACHMENT

ON/OFF BUTTON

STOP/SLOW PADDLES

STOP/SLOW FLAGGER HELPER



- ABS paddle and PVC staff are lightweight, non-conductive and rugged.

Support-staff minimizes operator fatigue and increases visibility, improving operator safety.



STOP/SLOW FLAGGER HELPER TRAFFIC PADDLE

- Available in Engineer Grade, Hi-Intensity, and Diamond Grade™ Reflective sheeting.
- Paddles are made of .080 Aluminum, and come in 18" or 24" sizes.
- Includes a 2-part PVC staff (12" handle & 60" staff).
- Made in America.

18" WORK ZONE FLAGGER HELPER STOP/SLOW PADDLE™

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-1812	12"	NO STAFF
FLH-1872	12"	60"
FLH-1884	12"	72"

24" WORK ZONE FLAGGER HELPER STOP/SLOW PADDLE™

MODEL NO.	HANDLE LENGTH	STAFF LENGTH
FLH-2412	12"	NO STAFF
FLH-2472	12"	60"
FLH-2484	12"	72"

MODEL NO.	DESCRIPTION
SS-18	18" ALUMINUM
SS-18-HI	18" ALUMINUM
SS-18-DGR	18" ALUMINUM
SS-24	24" ALUMINUM
SS-24-HI	24" ALUMINUM
SS-24-HI/DGR	24" ALUMINUM
SS-24-DGR	24"ALUMINUM

FLAGGER HELPER PADDLE ACCESSORIES

MODEL NO.	DESCRIPTION
FLH-60-STAFF	60" Support Staff for FLH-Series Paddles
FLH-72-STAFF	72" Support Staff for FLH-Series Paddles
FLH-18-SV-COVER	18" Sign-Velope™ Storage Cover
FLH-24-SV-COVER	24" Sign-Velope™ Storage Cover
FLH-94-STAFF	Retractable Staff



SUPPORT STAFF



RETRACTABLE STAFF



SIGN-VELOPE™ STORAGE COVER

STOP/STOP FLAGGER HELPER

Available in Hi-Intensity or Diamond Grade Reflective sheeting. Paddles are made of ABS Plastic. Includes a 12" PVC handle (60" and 72" staffs available). Made in America.

MODEL NO.	DESCRIPTION
CG-1812	18" ABS STOP/STOP Paddle
CG-1872	18" ABS STOP/STOP Paddle with 60" staff
CG-1884	18" ABS STOP/STOP Paddle with 72" staff

STOP/SLOW ROLL UP

MODEL NO.	DESCRIPTION	LENGTH
SS-18-SR	Scroll style	18"
SS-24-SR	Scroll style	24"
SB243A	3-piece staff & case	24"



TRAFFIC CONES

TC1 SERIES: SOLID FLUORESCENT ORANGE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC1-18PO6	18"	Wide-Body / With Collars	3 lbs.
TC1-28POSL64	28"	Slim-Line / With Collars	7 lbs.
TC1-28PO64	28"	Wide-Body / With Collars	7 lbs.
TC1-28POH64	28"	Wide-Body / With Collars	10 lbs.
TC1-36PO64	36"	Wide-Body / With Collars	10 lbs.
TC1-36POH64	26"	Wide-Body / With Collars	12 lbs.



TC2 SERIES: SOLID FLUORESCENT GREEN

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TCFYG-28PO64	28"	Wide-Body / With Collars	7 lbs.
TCFYG-36PO64	36"	Wide-Body / With Collars	10 lbs.
TCFYG-28	28"	Wide-Body	7 lbs.
TCFYG-36	36"	Wide-Body	10 lbs.



TC2 SERIES: ORANGE WITH BLACK BASE

MODEL NO.	HEIGHT	BODY STYLE	WEIGHT
TC2-18PO6	18"	Wide-Body / With Collars	3 lbs.
TC2-28PO64	28"	Wide-Body / With Collars	7 lbs.
TC2-28POH64	28"	Wide-Body / With Collars	10 lbs.
TC2-28POHSL64	28"	Slim-Line / With Collars	10 lbs.
TC2-36PO64	36"	Wide-Body / With Collars	10 lbs.
TC2-36POH64	36"	Wide-Body / With Collars	12 lbs.
TC2-36POHH64	36"	Wide-Body / With Collars	15 lbs.



AVAILABLE WITHOUT HIP REFLECTIVE COLLARS. WHEN ORDERING REMOVE "64" FROM MODEL NO. FOR NO COLLARS.



TCB SERIES CONE BARS

Field-adjustable Cone Bars are durable, reusable, easy to use, and fit over traffic cones using built-in plastic rings.

MODEL NO.	LENGTH	WEIGHT	CONSTRUCTION
TCB-6-YB	46"-80"	1 lb	8" Engineer Grade Yellow Stripe on Black PVC
TCB-10-YB	65"-120"	1.4 lb	8" Engineer Grade Yellow Stripe on Black PVC
TCB-6-OW	46"-80"	1 lb	8" Engineer Grade White & Orange stripes on White PVC
TCB-10-OW	65"-120"	1.4 lb	8" Engineer Grade White & Orange stripes on White PVC



CONE SIGN

MODEL NO.	DESCRIPTION
TC-SIGN-LV-R	Reflective, Single Notch
TC-SIGN-LV-NR	Non-Reflective, Single Notch
TC-SIGN-NR-A100	Non-Reflective, Double Notch
TC-SIGN-EG-A100	Reflective, Double Notch

9100 SERIES DRUMS

MODEL NO.	DESCRIPTION
DRUM-4-4EG	Drum, with 4- 4" EG stripes (NY,ME)
DRUM-4-4HI	Drum, with 4- 4" HIP Stripes (AR,NH,CO,FL,OH,KY,TX)
DRUM-HD-9100-6HI(4)	Drum, with 4- 6" HIP Stripes (AL,GA, NJ, PA, IN, SC, LA, TN, WV, NC)
DRUM-4-6DGR	Drum, With 4- 6" DGR Stripes (CT, DE, RI, MA, MD, VA, IL)
HTR-22.5	22.5" truck tire sidewall (DRUM-TR-9025)



RING-TOP DELINEATORS

- 42" height to top of ring-top provides maximum visibility.
- Reflective stripes are available in Engineer Grade (EG) or Hi-Intensity Prismatic (HI).
- Oversized closed handle (the "ring top") for easy gripping, lifting, and attaching, various warning-tapes.
- Rubber Bases and Warning Lights available both sold separately.

MODEL NO.	DESCRIPTION
RT-7100-742702	Tube-Striped (2) 3" EG White Bands
RT-7100-755052	Tube-Striped (2) 3" HI White Bands
RT-7200-742728	Cone-Striped 6" Top/4" Bottom EG White Bands
RT-7200-742078	Cone-Striped 6" Top/4" Bottom HI White Bands
RT-7300-742715*	Drum-Striped* (4) 6" EG Orange/White Bands
RT-7300-755104*	Drum-Striped* (4) 6" HI Orange/White Bands
RT-7300-756079*	Drum-Striped* (4) 6" DG Orange/White Bands
RT-7010-742507	10lb Octagon Rubber Base
RT-7015-742520	15lb Octagon Rubber Base
RT-7022-742533	22lb Rectangle Base
RT-7032-742546	32lb Rectangle Base

1

2

3




*4" Collars also available

VERTICAL PANEL UNITS



Both styles of Vertical Panels come with a large handle area for an easy grip, a hassle free warning light placement, and comes with 100% recycled rubber base. Engineer Grade (EG),

High Intensity (HI),
or
Diamond Grade (DG)
sheeting available.



MODEL NO.
645000 SERIES

MODEL NO.
VP-6500 SERIES



EASTERN METAL BARRICADE LIGHTS ARE LIGHTWEIGHT WITH COMPACT CASES THAT MOUNT DIRECTLY TO MOST SIGNS, DRUMS, AND BARRICADES.



MANY OPTIONS AND FEATURES ARE AVAILABLE TO FIT YOUR NEEDS FOR BOTH DAY AND NIGHT.

* STANDARD LENS COLOR IS AMBER UNLESS SPECIFIED (R) RED, (B)



300 SERIES: TYPE A (FLASHING) AND TYPE C (STEADY-BURN) LED LIGHTS FOR NIGHT ONLY

MODEL NO.	LIGHT VOLTAGE
LED-303	3-Volt

Features

- Internal switch modes
- Off/flash or off/steady or off/flash steady, available photo cell, uses (2 or 4) d-cell batteries.
- Available in amber (a), red (r), blue (b), green (g) and clear (c) lens.



400 SERIES: TYPE A (FLASHING) AND TYPE C (STEADY-BURN) INCANDESCENT AND LED LIGHTS FOR NIGHT

MODEL NO.	LIGHT VOLTAGE
LED-406	6-Volt and 12-Volt

Features

- Internal switch modes
- Off/flash or off/steady or off/flash steady, available photo cell, uses (1 or 2) 6-volt batteries.
- Available in amber (a), red (r), blue (b), green (g) and clear (c) lens.



800 SERIES: TYPE B (FLASHING HI-INTENSITY) LED LIGHTS FOR DAY OR NIGHT

MODEL NO.	LIGHT VOLTAGE
LED-803F	3-Volt
LED-806F	6-Volt

Features

- Internal switch modes
- Off/flash, reverse photo cell, uses (1 or 2) 6-volt batteries
- Available in amber (a) or red (r) lens.



900 SERIES: TYPE B (FLASHING HI-INTENSITY) LED BARRICADE LIGHTS FOR DAY OR NIGHT

MODEL NO.	LIGHT VOLTAGE
LED-906F	6-Volt
LED-906-DH (Detachable Head)	6-Volt
LED-912F	12-Volt
LED-912-DH (Detachable Head)	12-Volt


Features

- Internal switch modes
- Off/flash, reverse photo cell, uses (1 or 2) 6-volt batteries, minimum candela output of 35 by day and 18 by night with average of 65 flashes per minute.
- Available in amber (a) or red (r) lens with or without detachable head.

BC-3000 SERIES BARRICADES

- Features galvanized steel Break-A-Way™ frame
- Extruded plastic rails.
- Type III
- All models include 2 uprights, 2 bases and 3 rails

MODEL NO.	RAIL SPECIFICATIONS AVAILABLE IN EG, HI, DG			
	UPRIGHT	THICKNESS	WIDTH	HEIGHT
BC-3105	5' Upright	1"	8"	48", 72", 96"
BC-3110	10' Upright	1"	8"	48", 72", 96"
BC-3205	5' Upright	2"	8"	48", 72", 96", 120", 144"
BC3210	10' Upright	2"	8"	48", 72", 96", 120", 144"



BG-2200 SERIES BARRICADES*

- Features galvanized steel legs and plastic panels.
- 45" tall x 24" wide x 2.75" thick. Designed to store folded/upright.
- Foldable for easy storage.
- Available in Type I or Type II

MODEL NO.	WIDTH	TOP PANEL	BOTTOM PANEL
BG-2200	24"	8" or 12"	8"



BP-2100 SERIES BARRICADES*

- All plastic construction with integrated legs & panels.
- Weight is 15 lbs (up to 23 lbs with optional SBS).
- Easily unfolds for Quick Deployment
- 45" tall x 24" wide x 2.5" thick.
- Available in Type I or Type II.

MODEL NO.	WIDTH.	TOP PANEL	BOTTOM PANEL
BP-2100	24"	8" or 12"	8"
BP-2100-SBS	SBS-SAND BALLAST SYSTEM: BALLAST CONTAINERS (SET OF 2) FOR ALL BP-2100 SERIES.		



BR-3000 SERIES BARRICADES*

- PERFECT FOR CROWD OR TRAFFIC CONTROL.
- AVAILABLE IN TYPE I OR TYPE II.

MODEL NO.	QTY.	RAIL THICKNESS	RAIL WIDTH	RAIL HEIGHT
BR-3100	ONE RAIL	1"	8"	48", 72", 96"
BR-3200	ONE RAIL	2"	8"	48", 72", 96", 120", 144"
BR-3042-A-LEG one 42" A-Leg only (Two A-Legs Required)				



Single-Sided Rails
(left or right)

RIGHT STRIPING (R)



← BLOCKS RIGHT LANE
GUIDES TRAFFIC LEFT

LEFT STRIPING (L)






→ BLOCKS LEFT LANE
GUIDES TRAFFIC RIGHT

- *Type I: Top panels are reflective/bottom panels are 6" non-reflective.
- Type II: Top and bottom panels are reflective


18" WARNING FLAGS

	VINYL	MESH	DESCRIPTION
TYPE 1	FROV-118/24	FROM-118/24	18" flag with wooden 24" staff
TYPE 1	FROV-118/30	FROM-118/30	18" flag with wooden 30" staff
TYPE 1	FROV-118/36	FROM-118/36	18" flag with wooden 36" staff
TYPE 2	FROV-218/24	FROM-218/24	18" flag with wooden 24" staff
TYPE 2	FROV-218/30	FROM-218/30	18" flag with wooden 30" staff
TYPE 2	FROV-201/36	FROM-218/36	18" flag with wooden 36" staff
TYPE 3	FROV-318	FROM-318	18" flag with metal grommets




24" WARNING FLAGS

	VINYL	MESH	DESCRIPTION
TYPE 1	FROV-124/30	FROM-124/30	24" flag with wooden 30" staff
TYPE 1	FROV-124/36	FROM-124/36	24" flag with wooden 36" staff
TYPE 2	FROV-214/30	FROM-214/30	24" flag with wooden 30" staff
TYPE 2	FROV-214/36	FROM-214/36	24" flag with wooden 36" staff
TYPE 3	FROV-324	FROM-324	24" flag with metal grommets



FLUORESCENT
RED/ORANGE
MESH



FLUORESCENT
RED/ORANGE
VINYL



TRANSPORT KITS

UTILITY POLE TRANSPORT KIT KIT INCLUDES

Easily attach this pole transport kit for the safe delivery of utility poles. Fitting poles up to 30" in diameter and under 30 foot long. This kit has strong nylon strap and heavy duty construction.

This kit comes with the flags and 30ft cable. With a flat 4 prong attachment kit. As well as including 2 36 inch mesh non-reflective flags

A large 18x22 inch sign made with .080 aluminum. Its sheeted with high intensity reflective material for added consciousness. Attached with 4 bolts making changing out the sign pain free.

INCLUDES
30^{FT}
OF CABLE

MODEL NO.
FLB-5700

DAY/NIGHT TRANSPORTERS FLAG-CLAMP KIT™ KIT NO. LC-2250-200SD

MODEL NO.	KIT INCLUDES
LC-250-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
LC-210 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle.
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
MM-200SD-PL	(1) Transporter Strobe Light™ with Amber Lens, Hex-head Bolt, and external switch.
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries

DAY/NIGHT TRANSPORTERS FLAG-CLAMP KIT™ KIT NO. LC-2250-RM-102

MODEL NO.	KIT INCLUDES
LC-250-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
LC-210 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle.
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
RM-102-PL	(1) Transporter Strobe Light™ with Red/Amber Lens, Hex-head Bolt, and external switch.
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries

DAYTIME TRANSPORTERS FLAG-C KIT NO. FC-2150-200SD LAMP KIT™

MODEL NO.	KIT INCLUDES
FC-150-HD (WOOD POLES) -OR-	(1) Transporter's Light-Clamp™ mounts on wood pole with heavy-duty 42" zinc-plated steel chain and spring-tension load binder. -or-
FC-110 (METAL POLES)	(1) Transporter's Light-Clamp™ mounts on metal pole with heavy-duty 42" reinforced nylon strap and load-binder buckle
FROM-124/36	(2) 24"x24" Fluorescent Red-Orange Mesh Warning Flag on a 36" Wooden Staff provide optimal daytime visibility
MM-200SD-PL	(1) Transporter Strobe Light™ with Amber Lens, Hex-head Bolt, and external switch
6-VB	(1) 6-volt Heavy-duty Spring-Terminal Batteries



OVERSIZE LOAD SIGNS

Aluminum signs with yellow, Engineer Grade or High-Intensity sheeting and large black letters. Available as flat or center-hinged in many sizes.

MODEL NO.	DESCRIPTION
OSL-6012-EG/AL	60" x 12" Yellow EG
OSL-7212-EG/AL	72" x 12" Yellow EG
OSL-8418-EG/AL	84" x 18" Yellow EG
OSL-6012-HI/AL	60" x 12" Yellow HI
OSL-7212-HI/AL	72" x 12" Yellow HI
OSL-8418-HI/AL	84" x 18" Yellow HI



FIRE HYDRANT MARKER

Reflective striped 3/8" thick fiberglass rod is over 5' tall and helps keep Fire Hydrants visible at night and in snow.

MODEL NO.	DESCRIPTION
FHM-SM	Side Mount Hydrant
FHM-TM	Top Mount Hydrant



COMMERCIAL VEHICLE GUIDES

Highly visible snow plow markers.

MODEL NO.	DESCRIPTION
SPT-28(2)	28" Markers (Set of 2)
SPT-36(2)	36" Markers (Set of 2)
SPT-48(2)	48" Markers (Set of 2)



STENCILS

Over 300 standard ready-to-ship stencil designs, made of 100% polymer are easy to transport, lighter than wood or metal, and clean up easily. Stencils are all designed to meet D.O.T. specs nationwide.



SLOW MOVING VEHICLE EMBLEM

Slow Moving Vehicle Symbols provide 1/4-mile visibility day or night. Fluorescent Orange Center with a Reflective Red (EG) Border.

MODEL NO.	DESCRIPTION	WEIGHT
SMV-02-EG/AL	Aluminum Sign with holes for mounting	12 oz.
SMV-24-PS/EG	Pressure Sensitive Decal for Direct application	2 oz.



EMERGENCY TRIANGLE 3-PACK

Hi-Visibility Reflective Triangles provide instant road warning day or night.

MODEL NO.	DESCRIPTION
RF-950(3P)	Three (3) Reusable Reflective Triangle Flares in plastic Storage Box



PEDESTRIAN SIGNS

Ideal for protecting pedestrians and school children from high-traffic crosswalks. Frame and base separate upon impact, minimizing damage to frame and base.

MODEL NO.	DESCRIPTION
VP-6536-YIELD-FB	(2) 12"X36" YIELD Panel, 1 frame and base
VP-6536-STOP-FB	(2) 12"X36" STOP Panel, 1 frame and base
VP-6536-FRAME	(1) 48" Frame only (replacement frame)
VP-6536-BASE	(1) 32" Base



RUGGED COMPOSITE RUBBER BASE

BRANDED AND CUSTOM PANELS AVAILABLE

BARRICADE TAPES

Barricade Tapes are a fast, highly visible way to restrict entry to hazardous areas and work great for many marking purposes. Many legends are available and in stock. 3"x1000', 4ml

MODEL NO.	DESCRIPTION
CT-3100	Caution
CTCA-3100	Caution-Construction Area
PLDNC-3100	Caution-Police Line-Do Not Cross
CTDNE-3100	Caution-Do Not Enter



SANDWICH BOARDS

Versatile a-frame sign that can display any number of messages or advertising.

Light Weight
Easy to Setup
Quickly Change Graphics
Waterproof

MODEL NO.	DIMENSIONS	WEIGHT
Sign-A-Cade 36	25"wx36"h x 3"d	17 lbs.
Mini-Cade	13"wx36"h x 3"d	10 lbs.



MARKER FLAGS

Vinyl flags for long-term dependability. With or without print are available. Come in a variety of colors to fit your needs. Staff's come in wire or plastic. Available in bundles of 1000.

MODEL NO.	DESCRIPTION
Marker FLAG 4X5	4" X 5" Flag with Wire or Plastic Staff
Marker FLAG 5X6	5" x 6" Flag with Wire or Plastic Staff



E-FLARES

Intensely bright, infinitely versatile, portable and simple to use. Hazmat accreditation: Certified to operate safely in class 1, division 2 / zone 2 hazardous areas.

FLARES

MODEL NO.	DESCRIPTION
AT280A	Amber LED
AT290R or AT290A	Red or Amber LED

* Other colors available please contact us for more information



ACCESSORIES

MODEL NO.	DESCRIPTION
EF-CLIP	Clip
EF-MAGCLIP	Magnetic Clip
EF-BASE	Base
EF-MAGBASE	Magnetic Base
EF-BAG4	Canvas Bag



LINE MARKERS



Line Markers are a fiberglass base composite developed to drive easily in all soil conditions. Available with or without warning message label. Available in cases of 20.

MODEL NO.	DESCRIPTION
LMRB-62	62" Rib-Back Marker
LMRB-66	66" Rib-Back Marker
LMRB-72	72" Rib-Back Marker



UTILITY/WARNING BULLET MARKERS

Provides 360° visibility for superior line identification. Made with specially formulated UV protected high density polyethylene. Custom colors also available.

High-Density, Polyethelene (HDPE) post color: White, Yellow, Orange, Blue and Red

Bullet color: White, Yellow, Orange, Blue, Red and Black



BOLLARD COVERS

Bollard covers are a great way to improve your facility's appearance while reducing maintenance costs. The covers easily slide over the top of your current posts and are secured in place with patented grip tabs. A variety of colors and





sizes available. Contact us if you need a custom size or color

MODEL NO.	DESCRIPTION	COLOR
BC452	4"x52"	Blue, Bright Green, Yellow
BC752	7"x52"	Red, Yellow
BC760	7"x60"	Yellow
BC772	7"x72"	Yellow
BC872	8"x72"	Yellow

DELINEATORS

Low cost, high-impact guard rail, barrier mount, and post delineators in many shapes and sizes with reflective materials to meet every requirement.



TEMPORARY OVERLAY PAVEMENT MARKERS (TOMs)

TOMs are the most convenient product to provide short-term pavement markings. They are simple to place, easy to remove, and provide effective delineation of lane lines in paving projects until permanent pavement markings can be applied.

MODEL NO.	COLOR	REFLECTIVE SIDE
TOM-Y-1S	Yellow	1-Side
TOM-Y-2S	Yellow	2-Side
TOM-W-1S	White	1-Side
TOM-W-2S	White	2-Side



MANHOLE GUARDS

Manhole guards create a temporary barrier to prevent access to open manholes, and keep traffic and pedestrians away from underground facilities. The material life features a two-ratchet system, 300 lbs. capacity and automatic brake for load control.



NON LIFT-COMPATIBLE

MODEL NO.	DESCRIPTION	WEIGHT
MGA-3842K	Aluminum Guard	23 lbs.

LIFT-COMPATIBLE

MODEL NO.	DESCRIPTION	WEIGHT
MGA-3842K-LIFT	Aluminum Guard	23 lbs.
MG-LIFT	Material Lift	33 lbs.



STREET SIGN BLADES

8" BLADE HEIGHT		BLADE LENGTH	MAX # OF CHARACTERS
FONT	HIGHWAYGOTHICCSERIES	18"	5
FONT SIZE	4"CAP,3"LOWERCASE	24"	7
PREFIX	3"CAP	30"	10
SUFFIX	3"UPPER/LOWER	36"	13
		42"	15
		48"	18
		54"	21
		60"	23

12" BLADE HEIGHT		BLADE LENGTH	MAX # OF CHARACTERS
FONT	HIGHWAYGOTHICCSERIES	18"	2
FONT SIZE	6"CAP,4.5"LOWERCASE	24"	4
PREFIX	4.5"CAP	30"	6
SUFFIX	4.5"UPPER/LOWER	36"	8
		42"	10
		48"	11
		54"	12
		60"	14



SQUARE POSTS

MODEL NO.	DESCRIPTION
SPF-10175-GALV-14	10' POST 1/3/4" X 1 3/4"
SPF-12175-GALV-14	12' POST 1/3/4" X 1 3/4"
SPF-102-GALV-14	10' POST 2"X2"
SPF-122-GALV-14	12 POST 2"X2"

BASE POSTS

MODEL NO.	DESCRIPTION
SPB-32-GALV-12	3' Base Post 2"x2"
SPB-3225-GALV-14	3' Base Post 2.25"x2.25"

QUICK DRIVE ANCHOR

MODEL NO.	DESCRIPTION
SPB-QDA250-42-G	3"X42" Quick Drive L-Anchor 7Ga



U-CHANNEL POSTS

U-Channel posts are a simple and durable post for mounting signs. Baked Enamel (Green) and Galvanized options are available. Break-Away kits with base post, Lap-Splice and uprights also on hand!

BASE POSTS

MODEL NO.	DESCRIPTION
UBP-3525-GALV	3'6" Galvanized 2.5#/ft
UBP-3525-BE	3'6" Baked Enamel 2.5#/ft

MODEL NO.	DESCRIPTION
UCP-62-BE	6' Baked Enamel 2#/ft
UCP-62-GALV	6' Galvanized 2#/ft
UCP-82-BE	8' Baked Enamel 2#/ft
UCP-82-GALV	8' Galvanized 2#/ft
UCP-102-BE	10' Baked Enamel 2#/ft
UCP-102-GALV	10' Galvanized 2#/ft

CROSS CONNECTORS



SNH-Sep-990F
SNH-Sep-990X
5-1/2"; 90°



SNH-Brkt-457F
SNH-Brkt-457X
3-3/4" multi angle
45°, 135°, 180°,
cannot be set at 90°



SNH-Brkt-12-90F
SNH-Brkt-12-90X
12" 90° cross bracket

ROUND POST
HARDWARE

SNH-Cap-12-38F
SNH-Cap-12-38X
12" Fits 2-3/8" o.d



SNH-Cap-922-RF
SNH-Cap-922-RX
5-1/2" fits 2-3/8" o.d

U-POST
HARDWARE

SNH-Brkt-12U-90F
SNH-Brkt-12U-90X
12" 90° fits all U-Post
180° options also available




SNH-Brkt-91UF-OL90
SNH-Brkt-91UX-OL90
5-1/2"; 90° fits all U-Post
180° options also available

SIGN BLANKS, SUBSTRATES, PLASTIC, PVC, METAL, MAGNETS & MORE

We carry a wide variety of sign blanks, magnetics, and other materials.

We have all the wholesale sign blanks you need to create your own custom signs. Choose from corrugated plastic sheets, aluminum blanks, PVC sign blanks, auto tags, or magnetic sheets and rolls of magnetic vinyl. We've got you covered!

Our full fabrication, design, and metal working departments can customize virtually any of our products. Blanks, branded items, special sizes, lighted displays.



Aluminum signs blanks in real estate frames, as wall-mounted outdoor signs, as municipal street signs. They're ideal for self-adhesive vinyl and incredibly durable.

PAINTED - SHEETED-AND BARE ALUMINUM SIGN BLANKS.


Aluminum sign blanks are the sign makers' all-purpose substrate. Whether your job demands blank metal sign for busy walkways, a sturdy metal real estate frame, aluminum substrates or a permanent decorative bracket on which to hang your metal sign.

PART #	DESCRIPTION
0245-604000	12" x 18" x .063, 1-1/2" radius corners, (2) 3/8" holes 15" Center
245-80400	12" x 18" x .080, 1-1/2" radius corners, (2) 3/8" holes 15" Center
245-812500	24" x 30" x .080 Rectangle 1-1/2" corner radius; (2) 3/8" holes 24" on center
245-813700	30" x 24" x .080 Rectangle 1-1/2" corner radius; (2) 3/8" holes
245-814000	30" x .080 Diamond Shape; 1-7/8" Radius Corners; 2 Holes 30" on center
245-18000	36" x .080 Diamond Shape; 2 1/4" corners; 2 Holes
245-820100	36" Center 48" x 24" x .080 Rectangle 1-7/8" corners; 4 Holes per MUTCD
245-82150	48" x .080 Diamond Shape; 3" Radius; 4 Holes per MUTCD

ALUMINUM BLANK SCREENS FOR SCREEN PRINTING

Aluminum sides keep the frame from warping with use. small, large, and huge welded aluminum screen printing frames

Burned, Blank, Emulsion only. Get a quote for your screen printing frames by calling customer service with your requirements.



**TRANSPARENCIES
UP TO 48"**

**FINISHED SCREENS
READY FOR INK**

JACKSON CONTRAST HI-VIS VEST

ANSI/ISEA 107-2015 Type R Class 2

- 2" silver reflective tape with contrast material
- Cooling mesh back, lightweight solid polyester front
- Pockets: 1 cell phone, 1 2-tiered chest w/pen division, 2 lower hip, 2 internal
- 2 mic tabs
- Zipper closure

MODEL NO.	COLORS	SIZES
US372	YELLOW	MEDIUM - 3XL
	ORANGE	



HI-VIS CLASSIC CONTRAST RAIN JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic storm cuff
- Pockets: 2 large front
- Zipper closure with inner stormflap
- Vented back yoke and eyelets
- Contrast panel for protection against dirt
- Lightweight, waterproof fabric with sealed seams

MODEL NO.	COLORS	SIZES
UH443	YELLOW	SMALL - 7XL



AURORA SLEEVED HI-VIS VEST

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape with contrast material
- Cooling mesh back, lightweight solid polyester front
- Pockets: 1 cell phone, 1 2-tiered chest w/pen division, 2 lower hip, 2 internal
- 2 mic tabs
- Zipper closure

MODEL NO.	COLORS	SIZES
US373	YELLOW	MEDIUM - 5XL
	ORANGE	



HI-VIS CLASSIC CONTRAST RAIN PANTS

ANSI/ISEA 107-2015 Type R Class E

- 2" silver reflective tape
- Elastic waist
- Twin stitched seams
- Adjustable snap hems for a secure fit
- Contrast panel for protection against dirt
- Lightweight, waterproof fabric with sealed seams

MODEL NO.	COLORS	SIZES
H444	YELLOW	SMALL - 6XL



HI-VIS CONTRAST TAPE BOMBER JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape with high visibility orange contrast trim
- Pack-away adjustable hood
- Elastic waistband and adjustable cuffs
- Quilted lining
- Pockets: 1 left chest radio, 2 lower front, 1 inner tablet
- 2 mic tabs
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US368	YELLOW	SMALL - 6XL



HI-VIS CONTRAST TRAFFIC JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic storm cuffs
- Quilted lining
- Pockets: 1 cell phone concealed under stormflap, 2 lower welt w/ flaps, 1 internal
- Stormflap with zipper and snap closure
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US466	YELLOW	SMALL - 6XL



HI-VIS LITE TRAFFIC JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Adjustable cuffs with snap closure
- Pockets: 2 large lower welt
- Stormflap with zipper and snap closure
- Waterproof with sealed seams
- Lightweight protection

MODEL NO.	COLORS	SIZES
US160	YELLOW	MED - 6XL



HI-VIS TWO-TONE BOMBER JACKET

ANSI/ISEA 107-2015 Type R Class 3

- 2" silver reflective tape
- Pack-away adjustable hood
- Elastic waistband
- Quilted lining
- Pockets: 1 left chest radio, 2 lower front, 1 inner tablet
- 2 mic tabs
- Contrast panel for protection against dirt
- Waterproof with sealed seams

MODEL NO.	COLORS	SIZES
US363	YELLOW/BLACK	SMALL - 7XL





- ITEMS WILL SHIP WITHIN 72 BUSINESS HOURS AFTER ORDER IS PLACED.
- ONLY PRODUCTS AND LEGENDS LISTED ARE ELIGIBLE
- AN XPRESS CHARGE WILL BE ADDED ON TO ORIGINAL PRODUCT PRICING.
- EACH ITEM HAS A MAXIMUM QUANTITY THAT CAN BE ORDERED.
- TAX AND FREIGHT ARE ADDITIONAL.

36" Non-Reflective vinyl w/4 Lexan pockets: Max. Qty.-5	
ROLL-UP SIGN TYPE	Model No.
BE PREPARED TO STOP	X/36-NRFVO-4LEX-BPTS
FLAGGER symbol	X/36-NRFVO-4LEX-FS
ROAD CLOSED AHEAD	X/36-NRFVO-4LEX-RCA
SHOULDER WORK AHEAD	X/36-NRFVO-4LEX-SWA
UTILITY WORK AHEAD	X/36-NRFVO-4LEX-UWA
WORKER symbol	X/36-NRFVO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/36-NRFVO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/36-NRFVO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/36-NRFVO-4LEX-OP2-RLCA
48" Non-Reflective vinyl w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-NRFVO-4LEX-BPTS
FLAGGER symbol	X/48-NRFVO-4LEX-FS
ROAD CLOSED AHEAD	X/48-NRFVO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-NRFVO-4LEX-SWA
UTILITY WORK AHEAD	X/48-NRFVO-4LEX-UWA
WORKER symbol	X/48-NRFVO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/48-NRFVO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-NRFVO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-NRFVO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-NRFVO-4LEX-ERW
48" Marathon w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-MARO-4LEX-BPTS
FLAGGER symbol	X/48-MARO-4LEX-FS
ROAD CLOSED AHEAD	X/48-MARO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-MARO-4LEX-SWA
UTILITY WORK AHEAD	X/48-MARO-4LEX-UWA
WORKER symbol	X/48-MARO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/48-MARO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-MARO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-MARO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-MARO-4LEX-ERW
DUAL LANE REDUCTION (w/bar overlay)	X/48-MARO-4LEX-OL1DL
OVERLAYS	
21" X 8" LEFT overlay	X-OL/48-MARO-218-LEFT
28" X 9" 500FT overlay	X-OL/48-MARO-289-500FT
28" X 9" 1000FT overlay	X-OL/48-MARO-289-1000FT
28" X 9" 1500FT overlay	X-OL/48-MARO-289-1500FT

36" Super Bright vinyl w/4 Lexan pockets: Max. Qty.-5	
ROLL-UP SIGN TYPE	Model No.
BE PREPARED TO STOP	X/36-SBO-4LEX-BPTS
FLAGGER symbol	X/36-SBO-4LEX-FS
ROAD CLOSED AHEAD	X/36-SBO-4LEX-RCA
SHOULDER WORK AHEAD	X/36-SBO-4LEX-SWA
UTILITY WORK AHEAD	X/36-SBO-4LEX-UWA
WORKER symbol	X/36-SBO-4LEX-WS
ONE LANE ROAD (AHEAD)	X/36-SBO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/36-SBO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/36-SBO-4LEX-OP2-RLCA
DUAL LANE REDUCTION (w/bar overlay)	X/36-SBO-4LEX-OL1DL
Overlays	
16" X 7" left overlay	X/OL/36-SBO-167-LEFT
19" X 7" 500ft overlay	X/OL/36-SBO-197-500FT
19" X 7" 1000ft overlay	X/OL/36-SBO-197-1000FT
19" X 7" 1500ft overlay	X/OL/36-SBO-197-1500FT
48" Super Bright w/4 Lexan pockets: Max. Qty.-5	
BE PREPARED TO STOP	X/48-SBO-4LEX-BPTS
FLAGGER symbol	X/48-SBO-4LEX-FS
ROAD CLOSED AHEAD	X/48-SBO-4LEX-RCA
SHOULDER WORK AHEAD	X/48-SBO-4LEX-SWA
UTILITY WORK AHEAD	X/48-SBO-4LEX-UWA
WORKER symbol	X/48-SBO-4LEX-WS
DUAL LANE REDUCTION (w/ bar overlay)	X/48-SBO-4LEX-OL1DL
ONE LANE ROAD (AHEAD)	X/48-SBO-4LEX-OP1-OLRA
ROAD WORK (AHEAD)	X/48-SBO-4LEX-OP1-RWA
(RIGHT) LANE CLOSED (AHEAD)	X/48-SBO-4LEX-OP2-RLCA
END ROAD WORK	X/4824-SBO-4LEX-ERW
OVERLAYS	
21" X 8" LEFT overlay	X-OL/48-SBO-218-LEFT
28" X 9" 500FT overlay	X-OL/48-SBO-289-500FT
28" X 9" 1000FT overlay	X-OL/48-SBO-289-1000FT
28" X 9" 1500FT overlay	X-OL/48-SBO-289-1500FT

Roll Up
XPress charge +8%

AT 1-800-872-7446

If you have any questions please call Customer Service

Rigid Sign: Max. Qty.–50	
RIGID-SIGN TYPE	Model No.
YIELD symbol , 30X30, .080 Aluminum, High intensity white	AL-30TRI-HI-R1-2
DO NOT ENTER , 30X30, .080 Aluminum, High intensity white	AL-30-HIW-R5-1
HANDICAP RESERVED PARKING , 12X18, .080 Aluminum, High intensity white	HNDCPX080-HIW-R7-8
HANDICAP RESERVED PARKING , 12X18, .063 Aluminum, Engineer grade white	HNDCPX063-EGW-R7-8
HANDICAP RESERVED PARKING , 12X18, .063 Aluminum, Engineer grade white	HNDCPX063-HIW-R7-8
NO PARKING NO ARROW , 24X18, .080 Aluminum, High intensity white	AL-1218080-HIW-R8-3A
NO PARKING ANYTIME NO ARROW , 12X18, .080 Aluminum, High intensity white	NPX080-HIW-R7-1
VAN ACCESSIBLE , 12X6, .063 Aluminum, High intensity white	AL-126063-IV-HIW-R7-8P
VAN ACCESSIBLE , 12X6, .080 Aluminum, High intensity white	AL-126080-IV-HIW-R7-8P
SIDEWALK CLOSED , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-R9-9
Sidewalk closed cross here left arrow , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-L-R9-11A

Rigid Sign: Max. Qty.–50	
RIGID-SIGN TYPE	Model No.
SIDEWALK CLOSED CROSS HERE RIGHT ARROW , 24X12, .080 Aluminum, High intensity white	AL-2412080-HIW-R-R9-11A
DETOUR WITH LEFT ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9L
DETOUR WITH RIGHT ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9R
DETOUR WITH VERTICAL ARROW , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-9V
END DETOUR , 30X24, .080 Aluminum, High intensity orange	AL-3024080-HIO-M4-8A
18" STOP , .080 Aluminum, high intensity*	18OCTX080-HI/AL-R1-1
24" STOP , .080 Aluminum, high intensity	24OCTX080-HI/AL-R1-1
30" STOP , .080 Aluminum, high intensity	30OCTX080-HI/AL-R1-1
36" STOP , .080 Aluminum, high intensity	36OCTX080-HI/AL-R1-1
48" Stop , .080 Aluminum, high intensity	48OCTX080-HI/AL-R1-1

* Does not meet MUTCD requirements


XPress charge + 8%

Sign Stands: Max. Qty.–100	
SIGN STAND TYPE	Model No.
Compact	APEX
Compact	Apex Flex
Compact	Apex Recoil - ST
Compact	Apex-AL
Compact	Apex Recoil
Compact	Apex Flex-AL
Mid-Size	Apex Dual Recoil-RU
Mid-Size	Apex Dual Recoil-RG
Mid-Size	Apex Dual Recoil-RU-RG
Full-Size	Apex Dual Recoil-MAX
Full-Size	Apex Dual Recoil-MAX-RU
Full-Size	Apex Dual Recoil-MAX-RU/rg
Full-Size	Apex-SUMMIT-RU
Econo	PGS
Tri-Eco	E-55
Tri-Eco	E-352
Tri-RU	E-353

Sign Stand
XPress charge + 5%

STOP/SLOW/Flagger Helpers: Max. Qty.–50	
STOP/SLOW SIGN TYPE	Model No.
18" STOP/SLOW Engineer Grade STOP/Engineer Grade SLOW	FLH1872-EG
18" STOP/SLOW High Intensity STOP/High Intensity SLOW	FLH1872-HI
18" STOP/SLOW High Intensity STOP/Diamond Grade SLOW	FLH1872-HI/DG
18" STOP/SLOW Diamond Grade STOP/Diamond Grade SLOW	FLH1872-DG
24" STOP/SLOW Engineer Grade STOP/Engineer Grade SLOW	FLH2472-EG
24" STOP/SLOW High Intensity STOP/High Intensity SLOW	FLH2472-HI
24" STOP/SLOW High Intensity STOP/Diamond Grade SLOW	FLH2472-HI/DG
24" STOP/SLOW Diamond Grade STOP/ Diamond Grade SLOW	FLH2472-DG

Includes 12" handle with a 60" staff. (72" staff also available)



CUSTOM AND COMMERCIAL

POST AND PANEL SIGNS

Architectural illuminated or non-illuminated signs are created with your brand and design aesthetics in mind.

Our design team will incorporate your logo, colors and design elements into a sign that is highly visible to easily identify and promote your business.

We are a custom sign manufacturer, building signs to order. Our staff will work with you to develop custom solutions to satisfy your specific business or individual needs.



LED SIGNS

Stand out, and capture attention with custom created programmable digital signs and platforms, that are perfect for any business, church, school, or event. We are a custom sign manufacturer, building signs to order. Our staff will work with you to develop custom solutions to satisfy your specific business or individual needs.



BRIGHTER
COST EFFECTIVE
LONGER LASTING
VERSATILITY
IMPROVE APPEAL
LESS ELECTRICITY USAGE
CUSTOMIZE ADVERTISING
LESS MAINTENANCE
LESS REPLACEMENT
COMMUNITY CONNECTION

LETTERING

Available in Cast Metal, Laser Cut Acrylic, LED Lit Letters and Logos, we can work with you specifications to identify your building.



PLAQUES

Plaques have a variety of uses, and suitable for both indoor and outdoor use. Identify your business, thank supporters and sponsors or recognize individuals.

Also great for identifying people, buildings, offices, rest rooms and more. Available in a variety of sizes, colors and materials with custom engraving



ADA WAYFINDING UNITS

Help people find what they are looking for using Way Finding Units, directories and ADA/Braille. Interior and exterior sign solutions to meet your needs.



WAY FINDING

Designed to handle most applications and materials used in the sign industry and various mounting options. See how we can give you a modern, contemporary look with a clean, high quality,





MANUFACTURING
IN THE USA SINCE 1947

Follow us



CONTACT



Main Office- Customer Service
1-607-734-2295



Fax
1-607-734-8783



Inquiries
customerservice@usa-sign.com




Corporate Office
1430 Sullivan Street Elmira, NY 14901



www.easternmetalsignsandsafety.com



Hours
8am-4:30pm
Monday-Friday EST.



**SIGNS AND
SAFETY**
EQUIPMENT, INC.

Customer Service

Ph. 607-562-8463

Fax 607-562-8463

1400 Sullivan Street Elmira, NY 14901

www.signssafety.com

signsafe@signssafety.com

NEED IT FAST?
**NOBODY IN THE INDUSTRY
SHIPS LIKE WE CAN!**

